Muscogee County School District
Columbus, Georgia

Jerrell D. Rumph
Senior Buyer

INVITATION TO BID (ITB)

Bid Number: 27-005

Bid Name: Purchase of Large Equipment for School Nutrition Program

The Muscogee County School District (MCSD) is soliciting sealed bids for the purchase and installation of large equipment for the School Nutrition Program. Bid terms, conditions, specifications, and price quote sheets are contained herein.

SCHEDULE OF EVENTS

October 23, 2026	Release of Invitation to Bid
October 30, 2026	Deadline for Written Questions
November 4, 2026	Answers to all Written Questions Posted on the MCSD Website
November 17, 2026 (2:00 pm EST)	Responses Due
TBD	Contract Awarded (at Board Meeting)

RETURN BID VIA: Bids and all required documents on the bid checklist are to be delivered via **Standard or Priority Mail or hand-delivered Only to the following address: At this time MCSD does not accept electronic bids.**

- Muscogee County School District
  Attn: Purchasing Department
  Bid #27-005 Purchase of Large Equipment for School Nutrition Program
  2960 Macon Road, Room 3005
  Columbus, GA 31906

Direct all questions concerning this ITB to:
Jerrell D. Rumph, Senior Buyer
(706) 748-2330
Rumph.Jerrell.D@muscogee.k12.ga.us

BID CHECKLIST

This standardized checklist has been provided to assist the vendor with the submission of their Bid package. This checklist cannot be construed as identifying all required submittal documents for this project. Vendors remain responsible for reading the entire Bid document to ensure that they comply. Bids may be considered subject to rejection if, in the sole opinion of the District, there is a serious omission, unauthorized alteration of form, an unauthorized alternate Bid, incomplete or unbalanced unit price, or irregularities of any kind.

☐ Bid Signature and Certification Form – all information completed and signed

☐ Debarred, Suspended, and Ineligible Status Form – signed

☐ Anti-Collusion Affidavit – signed

☐ Lobbying Certification Form – signed

☐ Federal Work Authorization Contractor Affidavit (if awarded)

☐ Federal Work Authorization Subcontractor Affidavit (if awarded)

☐ Exceptions or Deviations to Specifications – signed and/or information completed

☐ Disclosure of Subcontractors and Subconsultants – signed and/or information completed

☐ Reference Request Form – list three (3) references of similar size and scope

☐ Quote Form – signed

☐ W-9 – completed and signed (if not a District registered vendor)

☐ Copy of Business License

☐ Copy of Required/Applicable Licenses or Certifications per Specifications

☐ Cut Sheets for Equipment Proposed, Including Literature, Warranty Information and Product Specifications

Muscogee County School District –Terms and Conditions

1. GENERAL
   A. It is the purpose and intent of this Invitation to Bid (ITB) to secure the purchase and installation of large equipment for the School Nutrition Program on an as-needed basis herein for the Muscogee County School District (MCSD or the Board).
   B. The undersigned agrees to quote only on the items that can be delivered to the Muscogee County School District in accordance with the terms and conditions set forth in this bid document.
   C. The laws of the State of Georgia shall prevail concerning all purchases and services under this ITB and subsequent contract(s). Venue shall be in the court of competent jurisdiction in Columbus, Muscogee County, Georgia. Several Georgia statutes proscribe jurisdiction and venue for different types of cases that involve state agencies. Any provision that requires legal action that would require travel by MCSD employees likely violates the Constitutional provisions noted above.
   D. The undersigned agrees to abide by all Muscogee County School District Board policies to be found at https://simbli.eboardsolutions.com/index.aspx?s=4121.
   E. SPECIFICATIONS

      Product Specifications

      - Please see Appendix A pages 30-56 for the specifications.
2. QUOTATIONS
   A. Muscogee County School District reserves the right to:
      1. Waive formalities and technicalities in any quotation
      2. Reject any and/or all quotations wherein its judgment, it will be in the best interest of the school district
      3. Accept the quotation that in its judgment will be in its best interest
      4. Purchase from any source, in part or whole, any desired supplies, equipment, or services
      5. At its option, award on individual items/services or a lump sum basis
      6. Award this bid to the vendor who in the school district's opinion is most responsive and responsible, and will perform in the best interest of the Muscogee County School District
   B. Price alone will not be the sole base in the award of this bid but will be the primary factor.
   C. Bids shall be firm for at least 60 days after bid opening.
   D. The District will accept alternate models equal or comparable to the specifications listed in this document. Proposed alternates will be reviewed to determine if they are in the best interest of the District. **Vendors must provide cut sheets for the equipment proposed including literature, warranty information, and product specifications**.No substitutes will be accepted once the order is placed.
3. PRICES Unit and total prices quoted shall include all charges but not limited to, purchasing, packing, delivery, and installation of the equipment to the destination(s) listed on the Purchase Order. **Prices shall remain fixed during one school year**. The District is exempt from state sales tax. Bid prices shall exclude Federal or State taxes that can be eliminated in sales to public school systems in the State of Georgia.
4. TRADE NAME Suppliers are required to indicate the brand name and model of merchandise quote. Brand names and models listed in the specifications are used as a standard of quality and are not meant to limit competition.
5. NO ASSIGNMENT, DELEGATION, OR SUBCONTRACT WITHOUT DISTRICT CONSENT Except as may be specifically permitted, vendor shall not delegate, subcontract, assign, or otherwise permit anyone other than vendor personnel to perform any of the work and/or provide any of the services required of vendor under this contract, or assign any of its rights or obligations hereunder, without the prior written consent of the Muscogee County School District, which consent may be withheld by the Muscogee County School District in its sole discretion.
6. CONTRACT PERIOD The contract period shall cover the period January 1, 2027 through December 31, 2027 Prices shall remain firm and fixed throughout the contract period. In compliance

with State of Georgia law, O.C.G.A. 20-2-506, the contract shall terminate absolutely and without further obligation at the close of the calendar year. The Board may renew the contract in one-year increments, not to exceed a total of three years.

Georgia law at OCGA s 20-2-506 contains very specific provisions regarding the limited authority of school boards to enter into contracts whose terms could financially obligate future boards of education. Boilerplate or standard termination clauses, therefore, are often problematic for the MCSD. A board of education cannot unreasonably financially obligate a future board of education. The terms of the law will be summarized below, as a thorough discussion of the requirements is outside of the scope of this document.

Under certain conditions, school systems may enter into multi-year lease, purchase, or lease-purchase contracts, and these contracts may be used to acquire construction project sites or buildings, or for other purposes. Each such contract must terminate at the end of the calendar year in which the contract was entered into, and at the end of each succeeding calendar year. The contract may provide that it shall be automatically renewed for each successive year unless the school system takes affirmative steps to terminate the contract. The contract must contain a clear statement of the school system's total financial obligation for the original and each succeeding calendar year. Except for guaranteed energy savings contracts, the total value of all such contracts for any calendar year may not exceed 7.5 percent of the total local revenue collected in the most recently completed fiscal year. Failure to comply with the specific requirements of the code section can make the contract void.

7. RESPONSE, INTERPRETATION, AND COMMUNICATION
   A. Response shall be on the bid forms provided only.
   B. Bids received after the stated due date and time will not be accepted.
   C. If you do not wish to bid, respond with "No Bid" and give a reason for this response.
   D. If a bidder contemplating submitting a price quotation is in doubt as to the true meaning of any part of these documents or knows of an error, submit a request for interpretation to the Purchasing Manager at Arrighi.Aileen@muscogee.k12.ga.us.
   E. Communication about this active bid should not be made with any employee of the MCSD except the Senior Buyer or the Purchasing Manager.
   F. Procedures for formal protests of bids are available at www.muscogee.k12.ga.us > Vendors > Additional Information.
   G. Any addenda will be posted to www.muscogee.k12.ga.us.
8. MARKING Merchandise in full cases shall have an identification marking on the outside of the case. Each case, shipping container, etc. shall be marked with the Purchase Order Number supplied by the school district.
9. DELIVERY
   A. **Delivery Requirements:** **Awarded vendor must deliver using their own truck or the manufacturers truck accompanied by a vendor employee with no third party delivery allowed.** Delivery of all materials from this quotation shall be FOB destination to the address specified on the purchase order. Delivery shall be made within the vendor's quoted days after receipt of the order. Any item(s) not delivered within the time limit may be canceled by the school district at no expense to the same.
   B. **Coordination:** Successful vendor shall liaison with the School Nutrition Program to schedule deliveries, installations, and where necessary, removal of old equipment. **Vendor shall conduct an on-site inspection within forty-eight (48) hours of receiving a request to verify the designated installation site has adequate space and the required utilities to accommodate the equipment prior to ordering the equipment.** The inspection shall include, but not be limited to, verifying measurements, electrical, and plumbing connections**.** Under no circumstances shall any delivery be attempted before proper clearance has been obtained. All deliveries should be coordinated with the MCSD School Nutrition Representative. To minimize interruption of normal cafeteria operation, removal of old equipment shall be disposed of by the awarded vendor. The vendor shall install the new unit on the same day. Under no condition is the vendor to use any bin or trash container on the school's site to dispose of such items.

C. **Installation: Awarded vendor must provide a turnkey installation including delivery, uncrating, setting in place, connecting to utilites, removal of debris, removal of old equipment, and making ready for operation.** Installation includes the complete installation of electrical lines, water lines, gas lines, and drain lines within four (4) feet of the equipment. The installation shall include disconnecting and complete hook-up of the new unit and the vendor shall make all final connections. This shall be accomplished only by personnel certified to perform the task involved. Electrical and plumbing connections at each location should match the new replacement units; however, any necessary adjustments and/or changes will be done by the District prior to the installation

D. **Fixed Assets: The vendor must sign the MCSD Fixed Asset Transfer Form before removing old equipment from the premises.**

10. ORDERS Each job or delivery shall be initiated by a purchase order specifying the location and the work to be performed. **No work or delivery should be performed without an authorized purchase order number.**
11. INSPECTION All articles shall be subject to inspection after arrival at destination. If any item is found to be defective or otherwise not conforming to the specifications, the school district shall have the right to reject the product and return it at the sellers' expense.
12. SAFETY Material Safety Data Sheets shall be provided for all applicable items.
13. PAYMENT The payment terms for the District are Net 30. Payment shall be approved upon receipt, inspection, and acceptance of the materials at destination and receipt of proper itemized invoices. The District has determined issuing payments electronically is the preferred method of payment. The District reserves the right to remit payments using an electronic method in lieu of issuing a check at no additional cost to the District. Payment of interest / late fees is prohibited by the gratuities clause of the Georgia constitution. Similarly, MCSD cannot enter into an agreement that requires it to pay attorney's fees or goods/services not priced in the contract or authorizes the payment of unknown/unspecified cost increases that cannot be calculated.
14. BID RECAP A bid summary shall be sent to all participating vendors.
15. EQUAL OPPORTUNITY POLICY Vendors shall abide by the school district's non-discrimination policy (DJED). The vendor/contractor will not discriminate against any employee or applicant for employment because of race, color, religion, sex, handicap, or national origin. The vendor/contractor shall take appropriate action to ensure that applicants are employed and that employees are treated during employment without regard to their race, color, religion, sex, handicap, or national origin. Such action shall include, but shall not be limited to the following: employment, upgrading, demotion, transfer, recruitment, layoff, termination, rates of pay or other forms of compensation, and training. It is the further policy of the Board to ensure equal opportunity for minority-owned businesses and minority professionals with regard to all work, services, and supplies purchased by the Board and all construction projects undertaken by the Board which are competitively bid by the Board.
16. BOND REQUIREMENTS. There will not be a bond required for this solicitation.
17. FACILITIES The vendor shall be responsible and liable for damage to the storage, building, and grounds areas if the vendor's employees or agents cause damage during delivery.
18. CERTIFICATION REGARDING NON-COLLUSION The undersigned hereby certifies that the price(s) and amounts of this bid have been arrived at independently and without consultation, communication, or agreement with any other contractor, bidder, or potential bidder. Neither the price(s) nor the amount of this bid, and neither the approximate price(s) nor the approximate amount of this bid, have been disclosed to any other firm or person who is a bidder or potential bidder, and they will not be disclosed before bid opening. No attempt has been made or will be made to induce any firm or person to refrain from bidding on this contract, or to submit a bid higher than this bid, or to submit any intentionally high or noncompetitive bid or other form of complementary bid. The bid is made in good faith and not pursuant to any agreement or discussion with, or inducement from, any firm or person to submit a complementary or other noncompetitive bid. The bidder, its affiliates, subsidiaries, officers, directors, and employees are not currently under investigation by any government agency and have not in the last three years been convicted or found liable for any act prohibited by State or Federal law in

any jurisdiction, involving conspiracy or collusion with respect to bidding on any public contract. The bidder understands that collusive bidding is a violation of state and federal law and can result in fines, prison sentences, and civil damage awards.

19. CERTIFICATION REGARDING DEBARMENT The undersigned hereby certifies and swears that neither this vendor nor its principals are presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participation in this transaction by any Federal or State department or agency.
20. CERTIFICATION REGARDING GEORGIA SECURITY AND IMMIGRATION COMPLIANCE ACT OF 2006 The undersigned hereby certifies that the bidder and any subsequent subcontractors have registered with and are participating in a federal work authorization program as outlined in the O.C.G.A. 13-10-91.
21. INSURANCE The successful bidder shall supply to the school district proof of insurance for automobiles, workers' compensation, and general liability. The awarded contractor shall furnish to MCSD a current Certificate of Insurance. Insurance certificates will be reviewed by the MCSD Department of Risk Management. MCSD is a member of an interlocal risk management agency, the Georgia School Board Association (GSBA). GSBA Risk Management Services (RMS) offers protection through its group-self-insurance plans for workers' compensation, property, and liability risks. Provisions mandating the MCSD to purchase insurance, increase policy limits, or name the vendor or other third party as an additional insured party cannot be included in contracts with the MCSD. **Muscogee County School District must be shown as Additional Insured with respect to liability.** Attach a copy of the policy "Additional Insured" endorsement or state on the certificate that the policy has been specifically endorsed to provide coverage, including Defense Cost Coverage for Muscogee County School District as an Additional Insured. Professional Liability is excluded. **See attached insurance document.**
22. INDEMNIFICATION / HOLD HARMLESS CLAUSE: The MCSD cannot enter into an agreement whereby it agrees to indemnify or hold harmless a vendor or other third party. This language typically looks like "agrees to hold harmless from any liability, personal injury, or property damage arising out of the performance…" There are three legal principles that come into play here. First, indemnification provisions have been held by Georgia courts to be an unauthorized attempt to waive the State's sovereign immunity. An opinion of the Georgia Attorney General (AG) counsels that an unauthorized attempt to waive sovereign immunity through an indemnification agreement in a contract would be ultra vires and void. 1980 Op. Atty. Gen. 80-67. The Georgia Supreme Court has held that an indemnification clause is invalid where the governmental entity didn't have express statutory authority to waive its sovereign immunity. CSX Transp., Inc. v. City of Garden City, 588 S.E.2d 688 (Ga. 2003). Second, an indemnification violates Georgia's Constitutional ban on gratuities. The Georgia Constitution does not allow any donation or gratuity or forgiving of any debt owed to the public. Ga. Const. Art. III, s VI, Para VI (a). The Georgia AG has issued an opinion expressly stating that indemnification provisions are gratuitous undertakings in violation of the gratuities clause. 1980 Op. Atty. Gen. 80-67. Third, the Georgia Constitution does not allow the credit of the state to be pledged or loaned to any individual, company, corporation, or association. Ga. Const. Art. VII s IV Para VIII. The AG has opined that the constitutional debt restriction does not allow any state agency from contractually agreeing to any indemnification or "hold harmless" clause. See 1980 Op., supra. An indemnification is open-ended in nature because, at the time of contracting, neither party knows if nor when it will be triggered. As such, it violates the debt restriction.
23. FORCE MAJEURE If the Muscogee County School District, in its reasonable discretion, determines that the Force Majeure event is likely to delay the Contractor's performance for more than thirty (30) days, the Muscogee County School District reserves the right to cancel the agreement between the parties. In that event, neither party shall have any further liability to the other, subject only to the Muscogee County School District's obligation to pay the Contractor for work already completed by the Contractor and the Contractor's warranty for work already completed.
24. EXCEPTIONS To take exception to a provision of this Invitation to Bid, the Bidder must clearly identify the BID EXCEPTION when submitting the bid.

25. CONFIDENTIALITY:

MCSD and its student records are subject to the terms of The Family Educational Rights and Privacy Act (34 CFR § 99.33). If the vendor becomes privy to certain personally identifiable student information ("Student Information"), the vendor agrees to abide by the limitations on re-disclosure of any such Student Information, which constitutes an education record as defined in FERPA (34 CFR § 99.33 (a)(2)) and with the terms set forth below. 34 CFR 99.33 (a) (2) states that the officers, employees, and agents of a party that receive education record information from the MCSD may use the information, but only for the purposes for which the disclosure was made.

The parties acknowledge that such Student Information includes any paper and electronic Student Information as may be supplied by MCSD, as well as any data provided by MCSD's students to the vendor. The vendor agrees to hold any Student Information in strict confidence. The vendor shall not use or disclose any Student Information received from or on behalf of MCSD (or its students) except as permitted or required by the Sales Agreement, as required by law, or as otherwise authorized in writing by MCSD. The vendor agrees not to use any Student Information for any purpose other than the purpose for which the disclosure was made.

Upon termination, cancellation, expiration, or other conclusion of the Sales Agreement, the vendor shall return all education records or, if the return is not feasible, destroy any and all Student Information. If the vendor destroys the Student Information, the vendor shall provide MCSD with a certificate confirming the date of the destruction of the data.

If MCSD reasonably determines in good faith that the vendor has materially breached any of its obligations under this agreement, MCSD, in its sole discretion, shall have the right to require the vendor to submit to a plan of monitoring and reporting; provide the vendor with a fifteen (15) day period to cure the breach, or terminate the Sales Agreement immediately if cure is not possible. Before exercising any of these options, MCSD shall provide written notice to the vendor describing the violation and the action it intends to take. If the Family Policy Compliance Office of the U.S. Department of Education determines that the vendor improperly disclosed personally identifiable information obtained from MCSD's education records, MCSD may not allow the vendor access to education records for at least five years.

The vendor shall develop, implement, maintain and use appropriate administrative, technical, and physical security measures to preserve the confidentiality, integrity, and availability of all electronically maintained or transmitted Student Information received from, or on behalf of MCSD or its students. These measures will be extended by contract to all affiliates and subsidiaries of the vendor.

The vendor shall, within one day of discovery, report to MCSD any use or disclosure of Student Information not authorized by this agreement or in writing by MCSD. The vendor's report shall identify: (i) the nature of the unauthorized use or disclosure, (ii) the Student Information used or disclosed, (iii) who made the unauthorized use or received the unauthorized disclosure, (iv) what the vendor has done or shall do to mitigate any deleterious effect of the unauthorized use or disclosure, and (v) what corrective action the vendor has taken or shall take to prevent future similar unauthorized use or disclosure. The vendor shall provide such other information, including a written report, as reasonably requested by MCSD.

The vendor shall defend and hold MCSD harmless from all claims, liabilities, damages, or judgments involving a third party, including MCSD's costs and attorney fees, which arise as a result of the vendor's failure to meet any of its obligations under this agreement.

26. OPEN RECORDS ACT: MCSD is subject to Georgia's Open Records Act at OCGA s 50-18-70, et. seq. This law allows individuals to view MCSD records [whether maintained electronically or through paper] and/or make copies unless the records are specifically exempted by the law. The law does contain specific language addressing valid trade secrets but requires specific action from the vendor to ensure confidentiality.

You are hereby notified by MCSD that it is the submitting party's obligation to indicate whether any of the information submitted to MCSD constitutes a "trade secret" as defined by law and if so, what specific information constitutes a "trade secret." The Georgia Open Records Act, as amended in April 2012, requires that any "trade secret" information be designated as such at the time it is provided to a

governmental agency. The Act further indicates that a failure to make such a designation may result in a waiver of the right to subsequently claim that such information is confidential or otherwise protected from public disclosure.

OCGA 50-18-72 (a) (34). Specifically, OCGA 50-18-72 (a) (34) states in material part:

"(a) Public disclosure shall not be required for records that are:

(34) Any trade secrets obtained from a person or business entity that are required by law, regulation, bid, or request for proposal to be submitted to an agency. An entity submitting records containing trade secrets that wishes to keep such records confidential under this paragraph shall submit and attach to the records an affidavit affirmatively declaring that specific information in the records constitutes trade secrets pursuant to Article 27 of Chapter 1 of Title 10. If such entity attaches such an affidavit, before producing such records in response to a request under this article, the agency shall notify the entity of its intention to produce such records as set forth in this paragraph. If the agency makes a determination that the specifically identified information does not, in fact, constitute a trade secret, it shall notify the entity submitting the affidavit of its intent to disclose the information within ten days unless prohibited from doing so by an appropriate court order. In the event the entity wishes to prevent disclosure of the requested records, the entity may file an action in a superior court to obtain an order that the requested records are trade secrets exempt from disclosure. The entity filing such action shall serve the requestor with a copy of its court filing. If the agency makes a determination that the specifically identified information does constitute a trade secret, the agency shall withhold the records, and the requester may file an action in a superior court to obtain an order that the requested records are not trade secrets and are subject to disclosure;"

27. COMPLIANCE WITH LAWS The successful proposer shall procure all permits, bonds, and licenses, pay all charges, taxes, and fees, and give all notices necessary and incidental to the due and lawful prosecution of the work. All costs thereof shall be deemed to be included in the proposal price. The successful proposer shall, at all times, observe and comply with all Federal, State, City, and other laws, codes, ordinances, rules, and regulations in any manner affecting the conduct of the work.
28. MCSD REQUIREMENTS- Muscogee County School District intends to continue some school business functions during the project.
    A. The contractor must coordinate the service schedule with a representative from School Nutrition. This project must not interfere with any school business function.
    B. Proposers shall carefully examine the worksite to obtain first-hand knowledge of existing conditions.
    C. School District Regulations - The contractor shall follow all applicable Muscogee County School District regulations while on Muscogee County School District property, including the no alcohol, no tobacco products, no weapons, no idling, and drug-free policies.
29. The vendor shall protect all buildings, trees, shrubs, lawns, and all landscape work from damage. Any damaged property shall be repaired and replaced at the vendor's expense. Additionally, the vendor shall protect all private roads, streets, and sidewalks, driveway aprons, driveways, and shall make all necessary repairs at their own expense. The Vendor shall be responsible for any damage done while operating on MCSD property. Damage must be reported within 24 hours to the School Nutrition Department. Failure to do this may result in the termination of the contract/services. Damage must be repaired or replaced within a reasonable time.

Muscogee County School District Terms and Conditions Specific to the School Nutrition Program

1. Debarred, Suspended, and Ineligible Status. The Muscogee County School District shall solicit offers from, award contracts to, and consent to subcontracts with responsible vendors and/or principals only. The serious nature of debarment and suspension requires that sanctions be imposed only in the public interest for the Government's protection and not for purposes of punishment. Institutions shall impose debarment or suspension to protect the Government's interest and only for the causes and in accordance with the procedures set forth in 2 CFR 200.213.

The vendor certifies that the vendor and/or any of its sub-vendors or principals have not been debarred, suspended, or declared ineligible by any agency of the State of Georgia or any agency of the Federal government or as defined in the 2 CFR 200.213 which states "Non-federal entities are subject to the non-procurement debarment and suspension regulations implementing Executive Orders 12549 and 12689, 2 CFR part 180. These regulations restrict awards, subawards, and contracts with certain parties that are debarred, suspended, or otherwise excluded from or ineligible for participation in Federal assistance programs or activities." The vendor will immediately notify the School Food Authority if the vendor is debarred or placed on the Consolidated List of Debarred, Suspended, and Ineligible Vendors by a federal entity. **See Attachment A.**

By signing this agreement, the vendor is testifying that they are not debarred, suspended, or has any ineligible or voluntary exclusions with the U.S. Department of Agriculture or any other Federal or State Agency. All responses will be verified. Debarment and Suspension (Executive Orders 12549 and 12689): A contract award (see 2 CFR 180.220) must not be made to parties listed on the Governmentwide exclusions in the System for Award Management (SAM), in accordance with the OMB guidelines at 2 CFR 180 that implement Executive Orders 12549 (3 CFR part 1986 Comp., p. 189) and 12689 (3 CFR part 1989 Comp., p. 235), "Debarment and Suspension." SAM Exclusions contains the names of parties debarred, suspended, or otherwise excluded by agencies, as well as parties declared ineligible under statutory or regulatory authority other than Executive Order 12549.

2. Contract Extension. In the event that this Standard Contract shall terminate or be likely to terminate prior to the making of an award for a new contract for the identified goods and services, the Muscogee County School District may, with the written consent of the Contractor, extend this Contract for such period as may be necessary to afford the Muscogee County School District a continuous supply of the identified goods and services. Pursuant to O.C.G.A. Section 50-5-64, this Contract shall not be deemed to create a debt of the State for the payment of any sum beyond the fiscal year of execution or, in the event of a renewal, beyond the fiscal year of such renewal.

3. Non-Performance and/or Termination Clauses

a. Immediate Termination. This Contract will terminate immediately and absolutely if the Muscogee County School District determines that adequate funds are not appropriated or granted or funds are de-appropriated such that the Muscogee County School District cannot fulfill its obligations under the Contract, which determination is at the Muscogee County School District's sole discretion and shall be conclusive. Further, the Muscogee County School District may terminate the Contract for any one or more of the following reasons effective immediately without advance notice:

(i) In the event the Contractor is required to be certified or licensed as a condition precedent to providing goods and services, the revocation or loss of such license or certification may result in immediate termination of the Contract effective as of the date on which the license or certification is no longer in effect;

(ii) The Muscogee County School District determines that the actions, or failure to act, of the Contractor, its agents, employees, or subcontractors have caused, or reasonably could cause, life, health or safety to be jeopardized;

(iii) The Contractor fails to comply with confidentiality laws or provisions; and/or

(iv) The Contractor furnished any statement, representation, or certification in connection with the Contract or the bidding process that is materially false, deceptive, incorrect, or incomplete.

b. Termination for Cause. The occurrence of any one or more of the following events shall constitute cause for the Muscogee County School District to declare the Contractor in default of its obligations under the Contract:

(i) The Contractor fails to deliver or has delivered nonconforming goods or services or fails to perform, to the Muscogee County School District's satisfaction, any material requirement of the Contract or is in violation of a material provision of the Contract, including, but without limitation, the express warranties made by the Contractor;

(ii) The Muscogee County School District determines that satisfactory performance of the Contract is substantially endangered or that a default is likely to occur;

(iii) The Contractor fails to make substantial and timely progress toward the performance of the Contract;

(iv) The Contractor becomes subject to any bankruptcy or insolvency proceeding under federal or state law to the extent allowed by applicable federal or state law including bankruptcy laws; the Contractor terminates or suspends its business, or the Muscogee County School District reasonably believes that the Contractor has become insolvent or unable to pay its obligations as they accrue consistent with applicable federal or state law;

(v) The Contractor has failed to comply with applicable federal, state, and local laws, rules, ordinances, regulations, and orders when performing within the scope of the Contract;

(vi) The Contractor has engaged in conduct that has or may expose the Muscogee County School District or the State to liability, as determined in the Muscogee County School District's sole discretion; or

(vii) The Contractor has infringed any patent, trademark, copyright, trade dress, or any other intellectual property rights of the Muscogee County School District, the state, or a third party.

c. Notice of Default. If there is a default event caused by the Contractor, the Muscogee County School District shall provide written notice to the Contractor requesting that the breach or non-compliance be remedied within the period of time specified in the Muscogee County School District's written notice to the Contractor. If the breach or noncompliance is not remedied within the period of time specified in the written notice, the Muscogee County School District may:

(i) Immediately terminate the Contract without additional written notice; and/or

(ii) Procure substitute goods or services from another source and charge the difference between the Contract and the substitute contract to the defaulting Contractor; and/or,

(iii) Enforce the terms and conditions of the Contract and seek any legal or equitable remedies.

d. Termination upon Notice. Following thirty (30) days written notice, the Muscogee County School District may terminate the Contract in whole or in part without the payment of any penalty or incurring any further obligation to the Contractor. Following termination upon notice, the Contractor shall be entitled to compensation, upon submission of invoices and proper proof of claim, for goods and services provided under the Contract to the Muscogee County School District up to and including the date of termination.

e. Termination Due to Change in Law. The Muscogee County School District shall have the right to terminate this Contract without penalty by giving thirty (30) days written notice to the Contractor as a result of any of the following:

(i) The Muscogee County School District's authorization to operate is withdrawn or there is a material alteration in the programs administered by the Muscogee County School District; and/or

(ii) The Muscogee County School District's duties are substantially modified.

f. Payment Limitation in Event of Termination. In the event of termination of the Contract for any reason by the Muscogee County School District, the Muscogee County School District shall pay only those amounts, if any, due and owing to the Contractor for goods and services actually rendered up to and including the date of termination of the Contract and for which the Muscogee County School District is obligated to pay pursuant to the Contract or Purchase Instrument. Payment will be made only upon submission of invoices and proper proof of the Contractor's claim. This provision in no way limits the remedies available to the Muscogee County School District under the Contract in the event of termination. The Muscogee County School District shall not be liable for any costs incurred by the Contractor in its performance of the Contract, including, but not limited to, startup costs, overhead or other costs associated with the performance of the Contract.

g. The Contractor's Termination Duties. Upon receipt of notice of termination or upon request of the Muscogee County School District, the Contractor shall:

(i) Cease work under the Contract and take all necessary or appropriate steps to limit disbursements and minimize costs, and furnish a report within thirty (30) days of the date of notice of termination, describing the status of all work under the Contract, including, without limitation, results accomplished, conclusions resulting therefrom, and any other matters the Muscogee County School District may require;

(ii) Immediately cease using and return to the Muscogee County School District, any personal property or materials, whether tangible or intangible, provided by the Muscogee County School District to the Contractor;

(iii) Comply with the Muscogee County School District's instructions for the timely transfer of any active files and work product produced by the Contractor under the Contract;

(iv) Cooperate in good faith with the Muscogee County School District, its employees, agents, and contractors during the transition period between the notification of termination and the substitution of any replacement contractor; and

(v) Immediately return to the Muscogee County School District any payments made by the Muscogee County School District for goods and services that were not delivered or rendered by the Contractor.

4. Clean Air/Clean Water Statement. Compliance with all applicable standards, orders, or requirements issued under section 306 of the Clean Air Act (42 U.S.C. 1857(h)) Clean Air and Water Certification. The vendor certifies that none of the facilities it uses to produce goods provided under the Contract are on the Environmental Protection Authority (EPA) List of Violating Facilities. The vendor will immediately notify the Muscogee County School District of the receipt of any communication indicating that any of the vendor's facilities are under consideration to be listed on the EPA List of Violating Facilities. Clean Air Act (42 U.S.C. 7401-7671q.) and the Federal Water Pollution Control Act (33 U.S.C. 1251-1387), as amended: Contracts and subgrants of amounts in excess of $150,000 must

contain a provision that requires the non-Federal award to agree to comply with all applicable standards, orders or regulations issued pursuant to the Clean Air Act (42 U.S.C. 7401-7671q) and the Federal Water Pollution Control Act as amended (33 U.S.C. 1251-1387). Violations must be reported to the Federal awarding agency and the Regional Office of the Environmental Protection Agency (EPA).

5. Civil Rights Statement and Assurance.

The Muscogee County School District hereby agrees that it will comply with:

i. Title VI of the Civil Rights Act of 1964 (42 U.S.C. 2000d et seq.);
ii. Title IX of the Education Amendments of 1972 (20 U.S.C. 1681 et seq.);
iii. Section 504 of the Rehabilitation Act of 1973 (29 U.S.C. 794);
iv. Age Discrimination Act of 1975 (42 U.S.C. 6101 et seq.);
v. Title II and Title III of the Americans with Disabilities Act (ADA) of 1990 as amended by the ADA Amendment Act of 2008 (42 U.S.C. 12131-12189);
vi. Executive Order 13166, "Improving Access to Services for Persons with Limited English Proficiency." (August 11, 2000);
vii. All provisions required by the implementing regulations of the Department of Agriculture (USDA) (7 CFR Part 15 et seq.);
viii. Department of Justice Enforcement Guidelines (28 CFR Parts 35, 42, and 50.3);
ix. Food and Nutrition Service (FNS) directives and guidelines to the effect that, no person shall, on the grounds of race, color, national origin, sex (including gender identity and sexual orientation), age, or disability, be excluded from participation in, be denied the benefits of, or otherwise be subject to discrimination under any program or activity for which the Program applicant receives Federal financial assistance from USDA; and hereby gives assurance that it will immediately take measures necessary to effectuate this Agreement.
x. The USDA non-discrimination statement that in accordance with Federal civil rights law and U.S. Department of Agriculture (USDA) civil rights regulations and policies, the USDA, its Agencies, offices, employees, and institutions participating in or administering USDA programs are prohibited from discriminating based on race, color, national origin, religion, sex, gender identity (including gender expression), sexual orientation, disability, age, marital status, family/parental status, income derived from a public assistance program, political beliefs, or reprisal or retaliation for prior civil rights activity, in any program or activity conducted or funded by USDA (not all bases apply to all programs.

This assurance is given in consideration of and for the purpose of obtaining any and all Federal financial assistance, grants, and loans of Federal funds, reimbursable expenditures, grants, or donation of Federal property and interest in the property, the detail of Federal personnel, the sale and lease of, and the permission to use Federal property or interest in such property or the furnishing of services without consideration or at a nominal consideration, or at a consideration that is reduced for the purpose of assisting the recipient, or in recognition of the public interest to be served by such sale, lease, or furnishing of services to the recipient, or any improvements made with Federal financial assistance extended to the Program applicant by USDA. This includes any Federal agreement, arrangement, or other contract that has as one of its purposes the provision of cash assistance for the purchase of food, and cash assistance for the purchase or rental of food service equipment or any other financial assistance extended in reliance on the representations and agreements made in this assurance.

By accepting this assurance, the Muscogee County School District agrees to compile data, maintain records, and submit records and reports as required, to permit effective enforcement of nondiscrimination laws and permit authorized USDA personnel during hours of program operation to review and copy such records, books, and accounts, access such facilities and interview such personnel as needed to ascertain compliance with the nondiscrimination laws. If there are any violations of this assurance, the Department of Agriculture, FNS, shall have the right to seek judicial enforcement of this

assurance. This assurance is binding on the Muscogee County School District, its successors, transferees, and assignees as long as it receives assistance or retains possession of any assistance from USDA.

The person or persons whose signatures appear below are authorized to sign this assurance on behalf of the Muscogee County School District.

Signature: _____

Printed Name: Brad Johnson

Title: Sr. Director of School Nutrition

6. **Record retention requirement (7 years per Sec. of State) and access to files – Record Retention and Access**. The Contractor shall maintain books, records, and documents in accordance with generally accepted accounting principles and procedures and which sufficiently and properly document and calculate all charges billed to the Muscogee County School District throughout the term of the Contract for a period of at least seven (7) years following the date of final payment or completion of any required audit, whichever is later. Records to be maintained include both financial records and service records. The Contractor shall permit the Auditor of the State of Georgia or any authorized representative of the Muscogee County School District, and where federal funds are involved, the Comptroller General of the United States, or any other authorized representative of the United States government, to access and examine, audit, excerpt and transcribe any directly pertinent books, documents, papers, electronic or optically stored and created records or other records of the Contractor relating to orders, invoices or payments or any other documentation or materials pertaining to the Contract, wherever such records may be located during normal business hours. The Contractor shall not impose a charge for audit or examination of the Contractor's books and records. If an audit discloses incorrect billings or improprieties, the Muscogee County School District reserves the right to charge the Contractor for the cost of the audit and appropriate reimbursement. Evidence of criminal conduct will be turned over to the proper authorities.

7. **Equal Employment Opportunity Compliance Statement.** In accordance with Federal Law and U.S. Department of Agriculture policy, this institution is prohibited from discriminating on the basis of race, color, national origin, sex, age, or disability. To file a complaint of discrimination, write USDA, Director, Office of Adjudication, 1400 Independence Avenue, SW, Washington, D.C. 20250-9410 or call toll-free (866) 632-9992. (Voice) Individuals who are hearing impaired or have speech disabilities may contact USDA through the Federal Relay Service at (800) 877-8339; or (800) 845-6136 (Spanish). USDA is an equal opportunity provider and employer.

8. **Energy Policy and Conservation Act Statement** - Compliance with mandatory standards and policies relating to energy efficiency which are contained in the state energy conservation plan issued in compliance with the Energy Policy and Conservation Act (Public Law 94-163, 89 Stat.871)

9. **Minority Firms, Women's Enterprises, and Labor Surplus Area Firms** - It is the intent of the Muscogee County School District to provide maximum practicable opportunities in its solicitations to small businesses, minority firms, women's enterprises, and labor surplus area firms.

10. **Non-Collusion.** "I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, or person submitting a bid for the same materials, supplies, or equipment, and is in all respects fair and without collusion or fraud. I understand that collusive bidding is a violation of State and Federal law and can result in fines, prison sentences, and civil damage awards. I agree to

abide by all conditions of this bid and certify that I am authorized to sign this bid for the Bidder per O.C.G.A.50-5-67. I further certify that the provisions of the official code of Georgia annotated 45-10-20 et seq. have not and will not be violated in any respect." **See Attachment B**

11. Originality and Title to Concepts, Materials, and Goods Produced. The vendor represents and warrants that all the concepts, materials, goods, and services produced, or provided to the Muscogee County School District pursuant to the terms of the Contract shall be wholly original with the Contractor or that the Contractor has secured all applicable interests, rights, licenses, permits or other intellectual property rights in such concepts, materials, and works. The Contractor represents and warrants that the concepts, materials, goods and services and the Muscogee County School District's use of same and the exercise by the Muscogee County School District of the rights granted by the Contract shall not infringe upon any other work, other than material provided by the Contract to the Contractor to be used as a basis for such materials, or violate the rights of publicity or privacy of, or constitute a libel or slander against, any person, firm or corporation and that the concepts, materials, and works will not infringe upon the copyright, trademark, trade name, trade dress patent, literary, dramatic, statutory, common law or any other rights of any person, firm or corporation or other entity. The Contractor represents and warrants that it is the owner of or otherwise has the right to use and distribute the goods and services contemplated by the Contract.

13. Lobbying. The undersigned certifies, to the best of his or her knowledge and belief, that:

a. No Federal appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of an agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any Federal contract, the making of any Federal grant, the making of any Federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any Federal contract, grant, loan, or cooperative agreement.

b. If any funds other than Federally appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this Federal contract, grant, loan, or cooperative agreement, the undersigned shall complete and submit Standard Form-LLL, "Disclosure Form to Report Lobbying," in accordance with its instructions.

c. The undersigned shall require that the language of this certification be included in the award documents for all subawards at all tiers (including subcontracts, subgrants, and contracts under grants, loans, and cooperative agreements) and that all subrecipients shall certify and disclose accordingly.

This certification is a material representation of the fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by section 1352, title 31, U.S. Code. Any person who fails to file the required certification shall be subject to a civil penalty of not less than $10,000 and not more than $100,000 for each such failure.

Statement for Loan Guarantees and Loan Insurance

The undersigned states, to the best of his or her knowledge and belief, that:

If any funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this commitment providing for the United States to insure or guarantee a loan, the undersigned shall complete and submit Standard Form-LLL, "Disclosure Form to Report Lobbying," in accordance with its instructions.

Submission of this statement is a prerequisite for making or entering into this transaction imposed by section 1352, title 31, U.S. Code. Any person who fails to file the required statement shall be subject to a civil penalty of not less than $10,000 and not more than $100,000 for each such failure.

Complete the Disclosure Form to Report Lobbying. See Attachment C

BID SIGNATURE AND CERTIFICATION (Bidder to sign and return with the bid)

We propose to furnish and deliver any and all of the goods and/or services named in our bid at the prices stated. It is understood and agreed that this bid constitutes an offer, which when accepted in writing by the Muscogee County School District, and subject to the terms and conditions of such acceptance, will constitute a valid and binding contract between the undersigned and the Muscogee County School District.

It is understood and agreed that we have read the specifications shown or referenced in the ITB and that this bid is made in accordance with the provisions of such specifications and all terms of conditions. Any exceptions are noted in writing and included with this bid. By our original signature, entered below, we guarantee and certify that all items included in this bid meet or exceed any and all such stated specifications. We further agree, if awarded a contract, to deliver goods and/or services that meet or exceed the specifications.

It is understood and agreed that this bid shall be valid and held open for a period of sixty days from the bid opening date.

We certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, or person submitting a bid for the same materials, supplies, equipment, or services and is in all respects fair and without collusion or fraud. We understand collusive bidding is a violation of state and federal law and can result in fines, prison sentences, and civil damage awards. We agree to abide by all conditions of the bid and certify that I am authorized to sign this bid for the bidder. We certify that we have read the contract terms and conditions and do hereby agree with them as stated. We understand that a vendor that does not adhere to these terms and conditions shall be subject to removal from the Muscogee County School District bidder's list for a minimum of one year. I further certify that I am the owner or agent of the stated company and am empowered to contract.

SUBMITTED BY_____TITLE_____

COMPANY NAME_____

ADDRESS_____

EMAIL ADDRESS_____

TELEPHONE NUMBER_____FAX NUMBER_____

SIGNATURE_____DATE_____

SCHEDULED DELIVERY DATE AFTER RECEIPT OF ORDER_____

PRICES ARE VALID THROUGH_____

DO YOU ACCEPT PURCHASING CARDS AS A METHOD OF PAYMENT? _____

DO YOU ACCEPT ELECTRONIC FUND TRANSFERS AS A METHOD OF PAYMENT? _____

DUN AND BRADSTREET (D&B) NUMBER_____

ATTACHMENT A
DEBARRED, SUSPENDED, AND INELIGIBLE STATUS FORM
(See Next Page)

OMB No. 0505-0027
Expiration Date: 09/30/2025
AD1047

Certification Regarding Debarment, Suspension, and Other Responsibility Matters Primary Covered Transactions

The following statement is made in accordance with the Privacy Act of 1974 (5 U.S.C. § 552a, as amended). This certification is required by the regulations implementing Executive Order 12549, Debarment and Suspension, and 2 CFR § 180.335, Participants' responsibilities. The regulations were amended and published on August 31, 2005, in 70 Fed. Reg. 51865-51880. Copies of the regulations may be obtained by contacting the Department of Agriculture agency offering the proposed covered transaction.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0505-0027. The time required to complete this information collection is estimated to average 15 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. The provisions of appropriate criminal or civil fraud, privacy, and other statutes may be applicable to the information provided.

(Read instructions on page two before completing certification.)

A. The prospective primary participant certifies to the best of its knowledge and belief, that it and its principals:

1. Are not presently debarred, suspended, or proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by any Federal department or agency;
2. Have not within a 3-year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;
3. Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or local) with commission of any of the offenses enumerated in paragraph (A.2.) of this certification; and
4. Have not within a 3-year period preceding this application/proposal had one or more public transactions (Federal, State or local) terminated for cause or default.

B. Where the prospective primary participant is unable to certify to any of the statements in this certification, such prospective participant shall attach an explanation to this proposal.

ORGANIZATION NAME	PR/AWARD NUMBER OR PROJECT NAME

NAME(S) AND TITLE(S) OF AUTHORIZED REPRESENTATIVE(S)	
SIGNATURE	DATE

In accordance with Federal civil rights law and U.S. Department of Agriculture (USDA) civil rights regulations and policies, the USDA, its Agencies, offices, and employees, and institutions participating in or administering USDA programs are prohibited from discriminating based on race, color, national origin, religion, sex, gender identity (including gender expression), sexual orientation, disability, age, marital status, family/parental status, income derived from a public assistance program, political beliefs, or reprisal or retaliation for prior civil rights activity, in any program or activity conducted or funded by USDA (not all bases apply to all programs). Remedies and complaint filing deadlines vary by program or incident.

Persons with disabilities who require alternative means of communication for program information (e.g., Braille, large print, audiotape, American Sign Language, etc.) should contact the responsible Agency or USDA's TARGET Center at (202) 720-2600 (voice and TTY) or contact USDA through the Federal Relay Service at (800) 877-8339. Additionally, program information may be made available in languages other than English.

To file a program discrimination complaint, complete the USDA Program Discrimination Complaint Form, AD-3027, found online at How to File a Program Discrimination Complaint and at any USDA office or write a letter addressed to USDA and provide in the letter all of the information requested in the form. To request a copy of the complaint form, call (866) 632-9992. Submit your completed form or letter to USDA by: (1) mail: U.S. Department of Agriculture, Office of the Assistant Secretary for Civil Rights, 1400 Independence Avenue, SW, Washington, D.C. 20250-9410; (2) fax: (202) 690-7442; or (3) email: program.intake@usda.gov.

USDA is an equal opportunity provider, employer, and lender.

Instructions for Certification

(1) By signing and submitting this form, the prospective primary participant is providing the certification set out on page 1 in accordance with these instructions.

(2) The inability of a person to provide the certification required below will not necessarily result in denial of participation in this covered transaction. The prospective participant must submit an explanation of why it cannot provide the certification set out on this form. The certification or explanation will be considered in connection with the Department or agency's determination whether to enter into this transaction. However, failure of the prospective primary participant to furnish a certification or an explanation will disqualify such person from participation in this transaction.

(3) The certification in this clause is a material representation of fact upon which reliance was placed when the Department or agency determined to enter into this transaction. If it is later determined that the prospective primary participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the Department or agency may terminate this transaction for cause or default.

(4) The prospective primary participant must provide immediate written notice to the Department or agency to which this proposal is submitted if at any time the prospective primary participant learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.

(5) The terms "covered transaction," "debarred," "suspended," "ineligible," "lower tier covered transaction," "participant," "person," "primary covered transaction," "principal," "proposal," and "voluntarily excluded," as used in this clause, have the meanings set out in the Definitions and Coverage sections of the rules implementing Executive Order 12549, at 2 CFR Parts 180 and 417. You may contact the Department or agency to which this proposal is being submitted for assistance in obtaining a copy of those regulations.

(6) The prospective primary participant agrees by submitting this form that, should the proposed covered transaction be entered into, it may not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the Department or agency entering into this transaction.

(7) The prospective primary participant further agrees by submitting this form that it will include the clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion - Lower Tier Covered Transactions," provided by the Department or agency entering into this covered transaction, without modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions.

(8) A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A participant may decide the method and frequency by which it determines the eligibility of its principals. Each participant may, but is not required to, check the General Services Administration’s System for Award Management Exclusions database.

(9) Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of a participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.

(10) Except for transactions authorized under paragraph (6) of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the Department or agency may terminate this transaction for cause or default.

ATTACHMENT B
ANTI-COLLUSION AFFIDAVIT

STATE OF: _____

COUNTY/CITY OF: _____

_____, of lawful age, being first sworn on oath says, that he/she is the agent authorized by the bidder to submit the attached bid. Affiant further states that the bidder has not been a party to any collusion among bidders in restraint of freedom of competition by agreement to bid at a fixed price or to refrain from bidding; or with any state official of employees to quantity, quality, or price in the prospective contract or any other terms of said prospective official concerning exchange of money or other thing of value for special consideration in the letting of contract; that the bidder/vendor had not paid, given or donated, or agreed to pay, give or donate to any officer or employee either directly or indirectly in the procuring of the award of a contact pursuant to this bid.

_____
Signed

Subscribed and sworn before me this _____ day of _____, 20___.

Notary Public (or Clerk or Judge) _____

My commission expires: _____

ATTACHMENT C
LOBBYING DISCLOSURE FORM

CERTIFICATION REGARDING LOBBYING - CONTRACTS, GRANTS, LOANS AND COOPERATIVE AGREEMENTS

The undersigned certifies, to the best of his or her knowledge and belief, that:

(1) No Federal appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any Federal contract, the making of any Federal grant, the making of any Federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any Federal contract, grant, loan or cooperative agreement;

(2) If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this Federal contract, grant, loan, or cooperative agreement, the undersigned shall complete and submit Standard Form-LLL, "Disclosure Form to Report Lobbying," in accordance with its instructions;

(3) The undersigned shall require that the language of this certification be included in the award documents for all subawards at all tiers (including subcontracts, subgrants, and contracts under grants, loans, and cooperative agreements) and that all subrecipients shall certify and disclose accordingly.

This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by section 1352, title 31, U.S. Code. Any person who fails to file the required certification shall be subject to a civil penalty of not less than $10,000 and not more than $100,000 for each such failure.

Organization Name | Award Number or Project Name

Name and Title of Authorized Representative

Signature | Date

ATTACHMENT D
Muscogee County School District
FEDERAL WORK AUTHORIZATION CONTRACTOR AFFIDAVIT
Under O.C.G.A. § 13-10-91(b) (1)

By executing this affidavit, the undersigned contractor verifies its compliance with O.C.G.A. § 13-10-91, stating affirmatively that the individual, firm, or corporation which is engaged in the physical performance of services on behalf of MUSCOGEE COUNTY SCHOOL DISTRICT has registered with, is authorized to use and uses the federal work authorization program commonly known as E-Verify, or any subsequent replacement program, in accordance with the applicable provisions and deadlines established in O.C.G.A. § 13-10-91. Furthermore, the undersigned contractor will continue to use the federal work authorization program throughout the contract period and the undersigned contractor will contract for the physical performance of services in satisfaction of such contract only with subcontractors who present an affidavit to the contractor with the information required by O.C.G.A. § 13-10-91(b). Contractor hereby attests that its federal work authorization user identification number and date of authorization are as follows:

_____
Federal Work Authorization ID Number (E-Verify Number Assigned to Your Company - 4 to 7 digits)

_____
Date of Authorization

_____
Name of Contractor

_____
Name of Project

MUSCOGEE COUNTY SCHOOL DISTRICT
Name of Public Employer

I hereby declare under penalty of perjury that the foregoing is true and correct.
Executed on _____, ___, 20___ in _____ (city), _____ (state).

_____
Signature of Authorized Officer or Agent

_____
Printed Name and Title of Authorized Officer or Agent

SUBSCRIBED AND SWORN BEFORE ME
ON THIS THE _____ DAY OF _____, 20___.

_____
NOTARY PUBLIC SIGNATURE

My Commission Expires: _____

ATTACHMENT E
Muscogee County School District
FEDERAL WORK AUTHORIZATION SUBCONTRACTOR AFFIDAVIT
Under O.C.G.A. § 13-10-91(b) (1)

By executing this affidavit, the undersigned subcontractor verifies its compliance with O.C.G.A. § 13-10-91, stating affirmatively that the individual, firm, or corporation which is engaged in the physical performance of services under a contract with _____**(name of contractor)** on behalf of Muscogee County School District has registered with, is authorized to use and uses the federal work authorization program commonly known as E-Verify, or any subsequent replacement program, in accordance with the applicable provisions and deadlines established in O.C.G.A. § 13-10-91. Furthermore, the undersigned subcontractor will continue to use the federal work authorization program throughout the contract period and the undersigned subcontractor will forward notice of the receipt of an affidavit from a sub-subcontractor to the contractor within five business days of receipt. If the undersigned subcontractor receives notice of receipt of an affidavit from any sub-subcontractor that has contracted with a sub-subcontractor to forward, within five business days of receipt, a copy of such notice to the contractor. Subcontractor hereby attests that its federal work authorization user identification number and date of authorization user identification number are as follows:

_____
Federal Work Authorization ID Number (E-Verify Number Assigned to Your Company - 4 to 7 digits)

_____
Date of Authorization

_____
Name of Contractor

_____
Name of Project

MUSCOGEE COUNTY SCHOOL DISTRICT
Name of Public Employer

I hereby declare under penalty of perjury that the foregoing is true and correct.
Executed on _____, ___, 20___ in _____ (city), _____ (state).

_____
Signature of Authorized Officer or Agent

_____
Printed Name and Title of Authorized Officer or Agent

SUBSCRIBED AND SWORN BEFORE ME
ON THIS THE _____ DAY OF _____, 20___.

_____
NOTARY PUBLIC SIGNATURE
My Commission Expires: _____

ATTACHMENT F
EXCEPTIONS OR DEVIATIONS TO SPECIFICATIONS

Note: Vendor must sign the appropriate statement below as applicable.

( ) Vendor understands and agrees to all terms, conditions, requirements, and specifications stated herein.

Firm: _____

Signature/Date: _____

-OR-

( ) Vendor takes exceptions to terms, conditions, requirements, or specifications stated herein. (Vendor must itemize each exception below and return with the Bid Documents.)

Firm: _____

Signature/Date: _____

_____

_____

_____

_____

_____

_____

_____

_____

_____

_____

_____

Vendor should note that any exceptions taken from the stated terms and/or specifications *may*, but not necessarily will be cause for their submittal to be deemed "non-responsive", risking rejecting of the submittal.

Attached are _____ additional pages.

ATTACHMENT G
DISCLOSURE OF SUBCONTRACTORS AND SUBCONSULTANTS

Note: Vendor must sign the appropriate statement below as applicable.

( ) No Subcontractors or Subconsultants will be used in connection with the performance of this contract.

Firm: _____

Signature: _____

-OR-

( ) All Subcontractors or Subconsultants to be used in connection with the performance of this contract are listed below. (Attach additional sheets as necessary.)

Firm: _____

Signature: _____

SUBCONTRACTORS AND SUBCONSULTANTS

Name of Firm or Agency:
Address:
Telephone:
Contact Name/Title:

Name of Firm or Agency:
Address:
Telephone:
Contact Name/Title:

Name of Firm or Agency:
Address:
Telephone:
Contact Name/Title:

Name of Firm or Agency:
Address:
Telephone:
Contact Name/Title:

ATTACHMENT H
REFERENCE & SIMILAR PROJECTS FORM

Owner / Business Name:		
Service Location / Address:		
City:	State:	Zip Code:
Point of Contact:	Dates of Work:	
Phone Number:	Fax Number:	
E-mail Address:		
Project Name:		Contract Amount:
Brief Description of Service:		

Owner / Business Name:		
Service Location / Address:		
City:	State:	Zip Code:
Point of Contact:	Dates of Work:	
Phone Number:	Fax Number:	
E-mail Address:		
Project Name:		Contract Amount:
Brief Description of Service:		

Owner / Business Name:		
Service Location / Address:		
City:	State:	Zip Code:
Point of Contact:	Dates of Work:	
Phone Number:	Fax Number:	
E-mail Address:		
Project Name:		Contract Amount:
Brief Description of Service:		

ATTACHMENT I
NO-BID RESPONSE

Muscogee County School District
Statement of "No Bid"

If you do not intend to submit a bid for this project, please complete and email this form prior to the date shown for receipt of bids to: Jerrell D. Rumph, Senior Buyer, at Rumph.Jerrell.D@muscogee.k12.ga.us

We, the undersigned, have declined to submit a bid on the "Bid #27-005 Purchase of Large Equipment for School Nutrition Program" for the following reasons:

_____ Specifications are too "tight", i.e. geared toward one brand or manufacturer only (please explain reason below)

_____ Insufficient time to respond to the solicitation.

_____ We do not offer this product/service or equivalent.

_____ Our schedule would not permit us to perform to specifications.

_____ Unable to meet specifications.

_____ Unable to meet insurance requirements.

_____ Specifications unclear (please explain below).

_____ Competition restricted by pre-approved owner standards.

_____ Other (please specify below).

Remarks:

_____

_____

_____

_____

_____

Company Name: _____

Address: _____

Signature and Title: _____

Telephone Number: _____ Date: _____

APPENDIX A
EQUIPMENT LIST

****Orders will be placed on an as-needed basis****

The District will accept alternate models equal or comparable to the specifications listed in this document. Proposed alternates will be reviewed to determine if they are in the best interest of the District. Vendors must provide cut sheets for the equipment proposed including literature, warranty information, and product specifications. No substitutes will be accepted once the order is placed.

Note: Gas hose quick disconnect should be included for each piece of equipment that is required for the unit to be installed. Water filters should be included for ice machines, combi ovens, and steamers. If a filter is not stated in the specifications below, include the filter that the manufacturer recommends. Electric equipment should be bid in both 208-volt and 480-volt, phases to be determined upon order.

Quotes must include:
• Disconnect, removal, and recycling of old equipment where necessary.
• Delivery, uncrating, setting in place, and removal of all packaging from site.
• Complete installation and site visit, including all final connections, by a factory authorized service contractor for each unit to include the water filtration system for combination/steamer ovens.
• **Pricing must include copper piping to extend to water drains.**
• Free performance checks and use and care of equipment training after complete installation.
• The number of days required to make delivery after receipt of purchase order. (lead times)

REACH-IN REFRIGERATOR/FREEZER

APPROVED BRANDS OR EQUAL/COMPARABLE

ITEM 1 – One Door Reach-in Refrigerator

Traulsen Model G10010
Dimensions: 83.25”(h) x 29.88”(w) x 35”(d)

- 1 ea. 115V/60/1ph, 4.9 amps, NEMA 5-15P, standard
- 1 ea. 6-year parts and labor and 7-year compressor warranty, standard
- 1 ea. 3 additional epoxy-coated shelves with pins for all single-section series

ITEM 2 – Two Door Reach-In Refrigerator

Traulsen Model G20010
Dimensions: 83.25”(h) x 35”(d) x 52.13”(w)
Dealers’ choice refrigerator, reach-in, two-section, 46.0 cu ft., self-contained refrigeration with microprocessor control, stainless-steel front and full heights doors (hinged left/right), anodized aluminum sides and interior, (3) epoxy-coated shelves per section (factory installed), 6” casters, 1/3 HP, cULus, NSF.

- 1 ea. 115V/60/1ph, 7.4 amps, NEMA 5-15P, standard
- 1 ea. 6-year parts and labor and 7-year compressor warranty, standard
- 1 ea. Model G23ACC-SHLF1 Set of 3 Additional epoxy-coated shelves with pins
- 1 ea. Model G23ACC-SHLF5 Set of 3 Additional epoxy-coated shelves with pins

ITEM 3 – Single Door Reach-In Freezer

Traulsen Model G12010
Dimensions: 27”(w) x 27 ½”(d) x 83 ¾”(h)

- 1 ea. 115V/60/1 ph, 9 ft. cord, NEMA 5-15p
- 1 ea. 6-year parts and labor and 7-year compressor warranty, standard
- 1 ea. Model G1ACC-SHLF1 Set of 3 Additional epoxy-coated shelves with pins

ITEM 4 – Two Door Reach-In Freezer
Traulsen Model G22010
Dimensions: 52 1/8"(w) x 35"(d) x 83 7/8"(h)

- 1 ea. 115V/60/1ph. NEMA 5-15P
- 1 ea. 6-year parts and labor and 7-year compressor warranty, standard
- 1 ea. Model G23ACC-SHLF1 Set of 3 Additional epoxy-coated shelves with pins
- 1 ea. Model G23ACC-SHLF5 Set of 3 Additional epoxy-coated shelves with pins

PASS-THRU REFRIGERATORS
APPROVED BRANDS OR EQUAL/COMPARABLE

ITEM 5 A – Pass-Thru Refrigerator Single Cabinet
Traulsen Model RHT132WPUT-FHS
Spec-Line Refrigerator, Pass-thru, one-section, self-contained refrigeration, StayClear™ Condenser, variable speed compressor, stainless-steel exterior & interior, standard depth, wide full-height solid doors, both sides with EZ-Clean Gaskets, (3) adjustable wire shelves per section, microprocessor controls, 6" adjustable stainless-steel legs, R-290 Hydrocarbon refrigerant, 1/2 HP, 115V/60/1-ph, 7.6 amps, cETLus, ETL-Sanitation, ENERGY STAR®

- 1 ea. 6-year parts and labor and 7-year compressor, standard.
- 2 ea. EZ-Clean tray rack, 5 levels per half section, spacing 5", holds (1) 18" x 26", (2) 14" x 18", or (2) 12" x 20" pans
- 1 ea. Credit for standard coated shelf, deduct
- 2 ea. Full height solid door, standard
- 1 ea. Thermometer side door: hinged on right, standard
- 1 ea. Rear door hinged on right, standard

ITEM 5 B- Pass-Thru Refrigerator Single Cabinet
Traulsen Model RHT132NPUT-FHS
Spec-Line Refrigerator, Pass-thru, one-section, self-contained refrigeration, stainless-steel exterior and interior, standard depth, narrow full-height doors, (3) adjustable wire shelves per section, microprocessor controls, 6" adjustable stainless-steel legs, 1/3 HP, cULus, NSF

- 1 ea. 115V/60/1-ph, 7.2 amps, with cord & plug attached, standard
- 1 ea. 6-year service/labor, 7-year compressor warranty, standard
- 1 ea. Full height solid door, standard
- 1 ea. Thermometer side door: hinged on left
- 1 ea. EZ-open pedal (full height doors only) (available on 6" legs and 6" casters only) (price per pedal/section)
- 1 ea. Rear door hinged on right, standard
- 1 ea. EZ-open pedal (full height doors only) (available on 6" legs and 6" casters only) (price per pedal/section)
- 12 ea. Universal tray slide
- 6 ea. Credit for standard coated shelf, deduct

ITEM 6 – Pass-Thru Refrigerator Double Cabinet
Traulsen Model RHT232WPUT-FHS
Spec-Line Refrigerator, Pass-thru, two-section, self-contained refrigeration, StayClear™ Condenser, variable speed compressor, stainless-steel exterior & interior, standard depth, wide full-height solid doors, both sides with EZ-Clean Gaskets, (3) adjustable wire shelves per section, microprocessor controls, 6" adjustable stainless-

steel legs, R-290 Hydrocarbon refrigerant, 1/2 HP, 115V/60/1-ph, 7.6 amps, cETLus, ETL-Sanitation, ENERGY STAR®

- 1 ea. 6-year parts & labor and 7-year compressor, standard.
- 4 ea. EZ-Clean tray rack, 5 levels per half section, spacing 5", holds (1) 18" x 26", (2) 14" x 18", or (2) 12" x 20" pan
- 1 ea. Credit for standard coated shelf, deduct
- 4 ea. Full height solid door, standard
- 1 ea. Thermometer side: Left door hinged left/right hinged right, standard
- 1 ea. Rear: Left door hinged left/right hinged right, standard

PASS-THRU HEATED CABINET

APPROVED BRANDS OR EQUAL/COMPARABLE

ITEM 7A – Pass-Thru Heated Cabinet Single

Traulsen Model RHF132WP-FHS

Spec-Line Heated Cabinet, pass-thru, one-section, stainless-steel exterior, aluminum interior, standard depth cabinet, full-height door or doors with Santoprene® EZ-Clean Gaskets, (3) clear-coated adjustable shelves per section, microprocessor controls, 6" adjustable stainless-steel legs, NSF, UL, ENERGY STAR®

- 1 ea. 6-year parts and labor, standard.
- 1 ea. 115V/208V/60/1-ph, 7.8 amps, standard
- 2 ea. Full-height solid door, standard- Verify hinging with FSD Before ordering
- 1 ea. Thermometer side door: hinged on right, standard
- 1 ea. The rear door is hinged on the right, standard
- 2 ea. Ex Clean tray Rack system
- 1 ea. Credit for standard coated shelf, deduct

ITEM 7 B- Pass-Thru Heated Cabinet Single

Traulsen Model RHF132NP-FHS-X -or approved equal

Spec-Line Heated Cabinet, pass-thru, one-section, Narrow width, stainless steel exterior and interior, standard depth cabinet, full-height door or doors with Santoprene® EZ-Clean Gaskets, (3) clear coated adjustable shelves per section, microprocessor controls, 6" adjustable stainless-steel legs, NSF, UL, ENERGY STAR®

- 1 ea. 115V/60/1-ph
- 1 ea. 6-year service/labor warranty, standard
- 2 ea Full height solid door, standard
- 1 ea. Thermometer side door: hinged on right, standard
- 1 ea. EZ-open pedal (full height doors only) (available on 6" legs and 6" casters only) (price per pedal/section)
- 1 ea. Rear door hinged on left
- 1 ea. EZ-open pedal (full height doors only) (available on 6" legs and 6" casters only) (price per pedal/section)
- 12 ea. #1 Tray slide
- 6 ea. Credit for standard coated shelf, deduct

ITEM 8 – Pass-Thru Heated Cabinet Double

Traulsen Model RHF232WP-FHS

Spec-Line Heated Cabinet, pass-thru, two-section, stainless-steel exterior, aluminum interior, standard depth cabinet, full-height door or doors with Santoprene® EZ-Clean Gaskets, (3) clear-coated adjustable shelves per section, microprocessor controls, 6" adjustable stainless-steel legs, NSF, UL, ENERGY STAR®.

- 1 ea. 6-year parts and labor, standard.

- 1 ea. 208V/115V/60/1-ph, 15.5 amps, standard
- 4 ea. Full-height solid door, standard- Verify hinging with FSD Before ordering
- 1 ea. Thermometer side: Left door hinged left/right hinged right, standard
- 1 ea. Rear: Left door hinged left/right hinged right, standard
- 4 ea. Ex Clean tray Rack system
- 1 ea. Credit for standard coated shelf, deduct

MOBILE HEATED CABINET
APPROVED BRANDS OR EQUAL/COMPARABLE

ITEM 9 A – Mobile Heated Cabinet
Winston CVQP Holding Cabinet Model HOV3-14UV
Dimensions: 84.5”(h) x 36.4”(d) x 27.6”(w)

- 1 ea. Stainless-steel interior and aluminum exterior
- 1 ea. Adjustable racks to hold 14 sheet pans and 20 steam pans
- 4 ea. Four corner bumpers and four casters 2 with brakes
- 1 ea. 120V/60/1-ph

ITEM 9 B – Mobile Heated Cabinet
FWE / Food Warming Equipment Co., Inc. Model PHTT-12
Quick Ship - Climate IQ® Heated Cabinet, mobile, (12) pair universal tray slides, (12) 18" x 26" or (24) 12" x 20" tray capacity, 4-1/2" OC, adjustable to 1-1/2" increments, humidified holding system, individual heat and humidity controls, insulated, removable water reservoir, (2) Dutch doors, recessed hand grips, stainless-steel interior and exterior, 5" casters (2) rigid and (2) swivel with brakes, cULus, CE, UL EPH Classified, IPX4.

- 1 ea. 2-year limited parts and one-year labor warranty, standard
- 1 ea. 120V/60/1-ph, 18.3 amps, 2192 watts, NEMA 5-20P, standard (US)

ITEM 9 C – Mobile Heated Cabinet
CresCor Holding Cabinet Model 1000-HH-SS-2DX
Dimensions: 22.63”(w) x 32.75”(d) x 73.25”(h),
(16) 18” x 26” OR (16) 12” x 20” pan capacity, pan slides on 2-3/4” centers, (4) 5” swivel casters (2) with breaks.

- 1 ea. 120V/60/1-ph, NEMA 5-15P
- 1 ea. 1056 002 Corner Bumpers
- 1 ea. Right-hand door swing (top & bottom doors) standard
- 1 ea. 3-year parts and 1-year labor

TWO BURNER RANGE
APPROVED BRANDS OR EQUAL/COMPARABLE

ITEM 10 A– Two-Burner Range - Gas
Southbend Model P18C-X

- 1 ea. 1-year limited warranty
- 3 ea. ¾ ear gas connection with a regulator

ITEM 10 B – Two Burner Range - Gas
Vulcan Model V2B12B HD Range, 12", 2 Open Burners

V Series Heavy Duty Range, gas, 12", (2) 35,000 BTU open burners, cast iron grates, storage base with cabinet doors, stainless-steel front, front top ledge, sides, base, burner box, and stub back, 6" adjustable legs, 70,000 BTU, CSA, NSF.

- 1 ea. 1-year limited parts and labor warranty, standard
- 1 ea. K-12 School Nutrition extended warranty extends the warranty for 12 months beyond the 12-month Original Equipment Warranty, not to exceed 24 months from the date of installation
- 1 ea. NOTE: Contact the factory for rear gas option information. The unit must be manifolded with another unit
- 1 ea. Gas type to be specified
- 1 ea. 1-1/4" front manifold connection, standard
- 1 ea. Front manifold location to be specified

CONVECTION STEAMER

APPROVED BRANDS OR EQUAL/COMPARABLE

ITEM 11 A – Convection Steamer Electric Single

Crown Model SX-5

Dimensions: 25.5”(h) x 27”(d) x 24”(w)

Premier Convection Steamer, countertop, electric, (5) 12” X 20” X 2 ½” pan capacity, on/off/delime power switch, 60-minute mechanical timer with constraint steam model, a pilot-ready light, automatic drain, solid-state liquid level control, split water connection, stainless-steel construction, 4” legs.

- 1 ea. 480V/60/3-ph, 18 amps, 15.0 kW
- 1 ea. Model 09-1191 Stand, stainless steel, 28”
- 1 ea. 3M Purification Model SF165-CL Water Filter Assembly
- 1 ea. Standard 1-year parts and labor warranty, equipment only
- 1 ea. Extended 3-year warranty, for K-12 Schools and Universities only

ITEM 11 B – Convection Steamer Electric, Single Countertop

Vulcan Model C24EA5-PLUS

Convection steamer, countertop, electric, 1 compartment, 24" wide, (5) 12" x 20" x 2-1/2" pans capacity, high output stainless-steel steam generator with timed smart drain and Powerflush, professional controls with 60-minute timer, buzzer and constant steam feature, cook/ready lights and power switch, split water lines, stainless-steel interior and exterior, leveling feet, UL EPH Classified, cULus.

- 1 ea. 1-year limited parts and labor warranty, standard
- 1 ea. K-12 School Nutrition extended warranty extends the warranty for 12 months beyond the 12-month Original Equipment Warranty, not to exceed 24 months from the date of installation
- 1 ea. 208V/50/60 3-ph, 48.0 amps, 15.0kW, standard
- 1 ea. Model CORDPLG5PAN3P CORD and plug set (rated to 208-240v/3-ph - 55.0 amps), CABLE 6/4 90C UL SO, SEO, SOW OR SEOW, 7'7": ANGLED PLUG HBL8462C NEMA 15-60P
- 1 ea. Model STAND-28YSGL Stand, 24" wide x 28" high, includes (1) set of pan slides, for countertop steamers
- 1 ea. Everpure Model EV979721 KleenSteam II Single System, 10,000-gallon capacity, 2.5 GPM flow rate, the total system for steamers prevents limescale formation, (1) 7CB5 carbon filters, (1) SS-10 scale inhibitor Cartridge, dip tube, (2) 2.2 lbs. canisters ScaleKleen® (EV979721)
- 1 ea. No charge equipment check out after the unit has been fully installed and put into service add for all Vulcan

ITEM 11 C – Same oven as 11 B - 1ea. 480V/60/3-ph

ITEM 12 – Convection Steamer, Gas, Double
Vulcan Model C24GA10
Convection Steamer, gas, 2 compartments on 24" cabinet base, (10)12" x 20" x 2-1/2" deep total pan capacity, high output stainless-steel steam generator with timed smart drain and PowerFlush, staged water fill, professional controls with 60-minute timer, a buzzer for each compartment, and constant steam feature, split water line, stainless-steel interior, exterior, frame and flanged feet, electric ignition, 125,000 BTU, CSA Flame, CSA Star, UL EPH Classified.

- 1 ea. 1-year limited parts and labor warranty, standard
- 1 ea. K-12 School Nutrition extended warranty extends the warranty for 12 months beyond the 12-month Original Equipment Warranty, not to exceed 24 months from the date of installation
- 1 ea. Gas type to be specified
- 1 ea. 120V/60/1-ph with ground, 2.0 amps, cord and plug, standard
- 1 ea. Everpure Model EV979721 KleenSteam II Single System, 10,000-gallon capacity, 2.5 GPM flow rate, total system for steamers prevents limescale formation, (1) 7CB5 carbon filters, (1) SS-10 scale inhibitor Cartridge, dip tube, (2) 2.2 lbs. canisters ScaleKleen® (EV979721)
- 1 ea No charge equipment check out after the unit has been fully installed and put into service

CONVECTION OVEN
APPROVED BRANDS OR EQUAL/COMPARABLE

ITEM 13 A – Convection Oven Electric Double
Blodgett Oven Model MARK V-100 DBL
Dimensions: 64.25”(h) x 36.88”(d) x 38.25”(w)
Convection Oven, electric, double-deck, standard depth, capacity (5) 18” X 26” pans per compartment, 2-speed fan, interior light, simultaneously operated doors with glass, porcelain crumb tray, stainless-steel front, sides and top, vent connector, 6” stainless steel legs, vent connector, 11.0 kW each, 1/3 hp, cETL, CE, NSF, ENERGY STAR.

- 2 ea. Model SSI-D Top Oven: Solid State Infinite with digital timer
- 2 ea. Model SSI-D Bottom Oven: Solid State infinite with digital time
- 2 ea. 6” legs, adjustable, stainless steel (set), standard
- 2 ea. 480V/60/3ph, 11.0 kW, 14.0 amps per deck
- 2 ea. 3-year parts, 2-year labor, and two additional years door warranty (parts only), standard

ITEM 13 B – Same Oven as 13 A – 2 ea. 208V/60/3ph, 11.0 kW, option

ITEM 13C - Convection Oven Electric Double
Vulcan Model VC55ED Double Convection Oven
Dimensions: 401/4”(w) x 40”(d) x 70”(h) -on 8” legs
Convection Oven, electric, double-deck, standard depth, solid state controls, 5-hour timer with digital display enhancement, 150° to 500°F temperature range, (5) oven racks per deck, independently operated removable doors with double pane windows, porcelain on steel interior, interior light, stainless-steel front, top & 8"H legs, (2) 1/2 HP blower motors, 25.0kW, NSF, UL, ENERGY STAR®

- 1 ea. 208V/60 ph
- 1 ea. 1-year additional warranty on parts and labor
- 1 ea. K-12 School Nutrition extended warranty extends the warranty for 12 months beyond the 12-month Original Equipment Warranty, not to exceed 24 months from the date of installation
- Gentle Bake mode selector switch.
- 1 ea. On-board diagnostics for easy servicing
- 1 ea. Five nickel-plated grab-and-go oven racks with eleven rack positions per section.

- 1 ea. 25 total KW.
- 1 ea. 1⁄2 H.P. two-speed oven blower-motor.
- 1 ea. Moisture vent.
- 1 ea. Oven cool switch for rapid cool down.
- 1 ea. Porcelain enamel on steel oven interiors
- 1ea. 1-year limited parts and labor warranty.
- 1 ea. No charge equipment check out after the unit has been fully installed and put into service

ITEM 13 D – Same oven as 13 C -1 ea. 480V/60 Hz/3 phase option

ITEM 13 E – Convection Oven Electric Double-
Double Electric Convection Oven Montague Model 2EK15A
Provide one (1) Double Deck Electric Convection Oven, to be Vectaire™ Model 2EK15A as manufactured by The Montague Company. Furnish with all standard features as follows:

- 1 ea. 208V/60 Hz/3 phase option
- 1 ea. Overall dimensions to be 38-1/4" W x 40-1/4" D x 65-3/4" HI.
- 1 ea. Snap-action electric thermostats with 200-500°F range
- 1 ea. 60-minute electric countdown timers with alarm
- 1 ea. Porcelainized 16-gauge steel oven interiors
- 1 ea. 27" oven interiors accept pans lengthwise or sideways
- 1 ea. Nine-position bright nickel rack guides
- 1 ea. Five bright nickel pan racks per oven, with rack stop and nQ-tip guides standard
- 1 ea. 4” of insulation compressed to 2" with metal sheathing
- 1 ea. Two covered interior lights per oven
- 1 ea. Momentary -ON interior light switches
- 1 ea. Blowers with 3/4 horsepower two-speed motors
- 1 ea. Each oven to have six (6) 2.5-kW heating elements, grouped in □o sets
- 1 ea. Automatic fan cutoff when doors are opened (except in cool-down)
- 1 ea. Satin finish stainless-steel front, sides and top
- 1 ea. Ball bearing mounted 50-50 split double doors
- 1 ea. Double pane, thermal viewing windows
- 1 ea. Tubular grab-bar door handles with insulated comfort grip
- 1 ea. Single vertical handle grab opens both doors
- 1 ea. NSf Listed
- 1 ea. 3 Year Parts and Labor Warranty
- 1 ea. Lifetime Door Warranty

ITEM 13 F – Same oven as 13 E-1 ea. 480V/60/3-ph

ITEM 14 A– Convection Oven Gas Double
Blodgett oven Model DFG-100 DBL
Dimensions: 70.63”(h) x 36.88”(d) x 38.25”(w)
Convection Oven, gas, double-deck, standard depth, capacity (5) 18” x 26” pans per compartment, (SSD) solid-state digital controls, 2-speed fans, interior light, simultaneously operated doors with glass, porcelain crumb tray, stainless-steel front, sides and top, 6" stainless-steel legs, flue connector, (2) ½ HP, 55,000 BTU each, cETl, NSF, CE.

- 1 ea. Natural gas
- 1 ea. 115V/60/1-ph, 6.0 amps, 3 wire with ground, 6’ cord, NEMA 5-15P, ½ hp (per deck), standard

- 1 ea. Model SSI-M Top Oven: Solid State infinite with 60 min. electromechanical timer
- 1 ea. Top Oven: Controls on the right side of the oven, standard
- 1 ea. Model SSI-M Bottom Oven: Solid State infinite with 60 min, electro-mechanical timer
- 1 ea. Draft diverter
- 1 ea. 6” legs, adjustable, stainless-steel (set), standard
- 1 ea. 3-year parts, 2-year labor, and two additional years door warranty (parts only), standard
- 1 ea. Gas Regulator
- 1 ea. 1-year parts and labor warranty. 3-year warranty on the door
- 1 ea. Additional 2-year warranty on parts/and labor
- 1 ea Gas manifold piping included with stacking kit to provide single point gas connection

ITEM 14 B – Convection Oven Gas Double

Double Deck Gas Convection Oven - Montague Model HX2-63A

Provide one (1) Double Deck Gas Convection Oven, to be Vectaire™ Model HX2-63A as manufactured by The Montague Company. Furnish with all standard features as follows:

- 1 ea. Overall dimensions °to be 38-1/4" W x 41-7/8" D x 71" H.
- 1 ea. Solid state 200-500 F thermostats
- 1 ea. 60-minute electric countdown timers with alarm
- 1 ea. Porcelainized 16-gauge steel oven interiors
- 1 ea. 27" oven interiors accept pans lengthwise or sideways
- 1 ea. Nine-position bright nickel rack guides
- 1 ea. Five bright nickel pan racks per oven, with rack stop and no-tip guides standard
- 1 ea. 4" of insulation compressed to 2" with metal sheathing
- 1 ea. Two covered interior lights per oven
- 1 ea. Momentary-ON interior light switch
- 1 ea. Indirect-heated "muffled oven" design with high-efficiency sealed stainless steel heat exchanger
- 1 ea. Stainless-steel burners with 63,000 BTU/hr. output
- 1 ea. Burner pilots with dependable electronic ignition
- 1 ea. Blowers with ½ horsepower two-speed motors
- 1 ea. Automatic fan cutoff when doors are opened (except in cool-down)
- 1 ea. Satin finish stainless-steel front, sides and top
- 1 ea. Ball bearing mounted 50-50 split double doors
- 1 ea. Double pane, thermal viewing windows
- 1 ea. 3-year parts and labor warranty
- 1 ea. Lifetime Door Warranty
- 1 ea. (6' power cord w/plug provided)
- 1 ea. Gas manifold piping included with stacking kit to provide single point gas connection

ITEM 14 C Convection Oven, Gas

Vulcan Model VC55GD-QS Platinum

Dimensions: 68.63”(h) x 40.13”(w) x 40.1”(d)

(Quick Ship) Convection Oven, gas, double-deck, standard depth, solid state controls, electronic spark ignition, 5-hour timer with digital display enhancement, 150° to 500°F temperature range, (5) oven racks per deck, independently operated removable doors with windows, porcelain on steel interior, interior light, stainless-steel front, top, sides & 8"H legs, (2) 1/2 HP blower motors, (2) 50,000 BTU, NSF, CSA Star, CSA Flame, ENERGY STAR®

- 1 ea. NOTE: Item qualifies for a no charge equipment check out after the unit has been fully installed & put into service. Contact your Vulcan Representative for more details

- 1 ea. 1-year limited parts & labor warranty, standard
- 1 ea. K-12 School Nutrition extended warranty extends the warranty for 12 months beyond the 12-month Original Equipment Warranty, not to exceed 24 months from date of installation
- 1 ea. Gas type to be specified
- 2 ea. (2) 120v/60/1-ph, 15.4 amps total, (2) cords with plugs, standard
- 1 ea. Gas manifold piping included with stacking kit to provide single point gas connection
- 1 ea. Painted legs, standard
- 1 ea. No charge equipment check out after the unit has been fully installed & put into service.

COMBI OVEN
APPROVED BRANDS OR EQUAL/COMPARABLE

ITEM 15 A– Combi Oven Steamer Gas
Blodgett (Middleby) INVOQ Model 62BG
Dimensions: 33.5”(h) x 42.4”(w) x 40.5”(d)
Combi Oven Steamer, Gas, boiler, capacity (6) 18" x 26" full size sheet or (12) 12" x 20" full size hotel (GN 1/1) pan capacity (standard), (2) side racks with non-tilt support rails, (5) stainless-steel wire racks (included), touch screen controls, SmartChef program, MenuPlanner, CombiSpeed/CombiSense cooking modes, built-in hand shower, stores up to 1,500 recipes, HybridSteam system with Injection Steam & Boiler Steam, external temperature probe, Delta-T cooking, Cook & Hold, USB port, HACCP, CareCycle Tablet-based automatic cleaning system, heat protection with triple-pane glass door, stainless-steel exterior & interior, 136,400 BTU, cULus, NSF, CE

- 1 ea. 1-year parts & labor warranty, standard
- 1 ea. Specify gas type
- 1 ea. 120v/1-ph/60, 10.0 amps, standard
- 1 kt. Model 58442 Parts only install platinum kit.
- 1 ea. Model CHEF TRAINING 1 hour chef training assistance on-site, included for each new location, to be coordinated with local Middleby rep chef once combi installation has been successfully completed
- 1 ea. 2.76" (70mm) spacing, standard
- 1 ea. Door hinged on left, standard
- 1 ea. 27-1/2" tall stand with runners and adjustable feet
- 1 ea. TruH2O 210MS2 fast-fit water treatment system (recommended for good quality water) (NET)
- 1 bx. Model 63768 Blodgett INVOQ CareCycle Clean tab for oven interior wash (150 PER BOX) (NET)
- 1 bx. Model 63769 Blodgett INVOQ CareCycle Descale tab for oven descaling (150 PER BOX) (NET)
- 1 ea. T&S Brass Model HG-4D-48SK_Safe-T-Link Gas Connector Kit, 3/4" connection, 48" hose, stainless-steel braiding with extruded coating, (1) Quick-Disconnect, (2) Swivelink fittings, (1) 90° elbow, ball valve, restraining cable adjustable for 3' to 5', 180,000 BTU / hr minium flow capacity

ITEM 15 B – Combi Oven Steamer Gas
Vulcan Model Chef -102G
Chef'sCombi 102G, Gas 10-level full-size (GN 2/1) capacity (10) 18" x 26" full-size sheet or (20) 12" x 20" steam pan. All-in-one multifunctional cooking equipment with customizable CombiOS interface, CombiClimateControl, AutoClimate, CombiGuide, MenuMix, & CombiCare. Advanced technologies for premium cooking results with powerful heating, humidity sensor-controlled climate regulation, high-performance dehumidification, controlled even heat distribution and humidifying function. Multi-point food probe, (5) wire racks, retractable sprayer, Ethernet & WIFI enabled, steam generator combi oven, 143,310 BTU, IPX5, cULus, NSF

- 1 ea. K-12 School Nutrition extended warranty extends the warranty for 12 months beyond the 12-month Original Equipment Warranty, not to exceed 24 months from date of installation
- 1 ea. USB Food Probe 3pts - Diameter 0.13" per unit
- 1 ea. Cleaner Tabs and Clean Sticks per unit
- Flex stainless-steel water hose 72", 3/4" female GHT (2 per unit recommended for gas & electric, 1 per unit for direct steam)
- 1 ea. Stainless-steel tall 27" stand with (9) shelving levels for full size Chef'sCombi ovens 62 or 102 (see spec sheet for machine height on stand)
- 1 ea. Everpure Model EV979721 KleenSteam II Single System, 10,000-gallon capacity, 2.5 GPM flow rate, total system for steamers prevents limescale formation, (1) 7CB5 carbon filters, (1) SS-10 scale inhibitor Cartridge, dip tube, (2) 2.2 lbs. canisters ScaleKleen® (EV979721)
- 1 ea. No charge equipment check out after the unit has been fully installed and put into service

ITEM 15 C – Combi Oven, Gas
Vulcan Model ABC7G-NAT
Combi Oven/Steamer, natural gas, boiler-less, (7) 18" x 26" full-size sheet or (14) 12" x 20" full-size hotel pan capacity, (3) knobs with LED displays for temperature, timer and humidity, auto-adjustment of humidity with temperature selection, auto-reversing fan with electronic braking system, cool to touch glass door, flashing door light and audible alert, (4) Grab n Go wire racks, stainless-steel interior and exterior, 80,000 BTU, 120V/60/1-ph, engineered and assembled in USA, UL EPH Classified, cULus.

- 1 ea. 1-year limited parts and labor warranty, standard
- 1 ea. K-12 School Nutrition extended warranty extends the warranty for 12 months beyond the 12-month Original Equipment Warranty, not to exceed 24 months from the date of installation
- 1 ea. Filtration System
- 1 ea. NOTE: Water is a customer-supplied utility just like gas and electric to the equipment. Proper Water Filtration based on customer water quality is essential to meet the equipment water spec requirements. Verify the type of filtration needed based on performing a cold-water analysis from the customer site. A suitable Water Treatment System and regular filter replacement coupled with routine cleaning/deliming is required.
- 1 ea. Model STACK-ABC/G Stacking Kit, gas, for (2) ABC7G Combi, includes: vent kit, spray hose, drip tray and casters
- 1 ea. Model SPRAY-ABC Spray Hose Kit, Provided with ABC Stand or ABC Stacking Kits - includes spray handle, 8 ft. stainless steel braided hose and mounting hardware
- 1 ea. Everpure Model EV979721 KleenSteam II Single System, 10,000-gallon capacity, 2.5 GPM flow rate, the total system for steamers prevents limescale formation, (1) 7CB5 carbon filters, (1) SS-10 scale inhibitor cartridge, dip tube, (2) 2.2 lbs. canisters ScaleKleen® (EV979721)
- 1 cs. Model VDL-1 Vulcan Detergent Liquid, 2.5 gals each, (2) per case (sold per case)
- 1 cs. Model VRL-1 Vulcan Rinse Liquid, 2.5 gals each, (2) per case (sold per case)
- 1 ea. No charge equipment check out after the unit has been fully installed and put into service

ITEM 16 A– Combi Oven Steamer Electric
Blodgett (Middleby) INVOQ Model 102BE
Dimensions: 42.6(h) x 42.4(w) x 40.5(d)
Combi Oven Steamer, Electric, boiler, capacity (10) 18" x 26" full size sheet or (20) 12" x 20" full size hotel (GN 1/1) pan capacity (standard), (2) side racks with non-tilt support rails, (8) stainless-steel wire racks (included), touch screen controls, SmartChef program, MenuPlanner, CombiSpeed/CombiSense cooking modes, built-in hand shower, stores up to 1,500 recipes, HybridSteam system with Injection Steam & Boiler Steam, external temperature probe, Delta-T cooking, Cook & Hold, USB port, HACCP, CareCycle Tablet-

based automatic cleaning system, heat protection with triple-pane glass door, stainless-steel exterior & interior, cULus, NSF, CE, Energy Star®

- 1 ea. 1-year parts & labor warranty, standard
- 1 ea. Model CHEF TRAINING 1 hour chef training assistance on-site, included for each new location, to be coordinated with local Middleby rep chef once combi installation has been successfully completed
- 1 ea. 480V/60/3-ph, 31.3KW, 42 amps
- 1 ea. 2.76" (70mm) spacing, standard
- 1 ea. Door hinged on left, standard
- 1 ea. 27-1/2" tall stand with runners and adjustable feet
- 1 ea. TruH2O 210MS2 fast-fit water treatment system (recommended for good quality water) (NET)
- 1 bx. Model 63768 Blodgett INVOQ CareCycle Clean tab for oven interior wash (150 PER BOX) (NET)
- 1 bx. Model 63769 Blodgett INVOQ CareCycle Descale tab for oven descaling (150 PER BOX) (NET)

ITEM 16 B – Same oven as 16 A -1 ea. 208V/60/3-ph

ITEM 16 C – Combi Oven, Electric Steamer
Vulcan Model Chef-102E
CHEF'SCOMBI 102E, Electric 10-level full-size (GN 2/1) capacity, (10) 18" x 26" full-size sheet pan or (20) 12" x 20" steam pan, All-in-one multifunctional cooking equipment with customizable CombiOS interface, CombiClimateControl, AutoClimate, CombiGuide, MenuMix, & CombiCare, humidity sensor-controlled climate regulation, high-performance dehumidification, controlled even heat distribution & humidifying function, Multi-point food probe, (5) wire racks, retractable sprayer, Ethernet & WIFI enabled, steam generator combi oven, IPX5, cULus, N

- 480V/60/3-ph, 27.0 kW, 36.0 amps. - option
- 1 ea. No charge equipment check out after the unit has been fully installed and put into service
- 1 ea. K-12 School Nutrition extended warranty extends the warranty for 12 months beyond the 12-month Original Equipment Warranty, not to exceed 24 months from date of installation
- 1 ea. USB Food Probe 3pts - Diameter 0.13" per unit
- 1 ea. Cleaner Tabs and Clean Sticks per unit
- Flex stainless-steel water hose 72", 3/4" female GHT (2 per unit recommended for gas & electric, 1 per unit for direct steam)
- 1 ea. Stainless-steel tall ” stand with (9) shelving levels for full size Chef'sCombi ovens 62 or 102 (see spec sheet for machine height on stand)
- 1 ea. Everpure Model EV979721 KleenSteam II Single System, 10,000-gallon capacity, 2.5 GPM flow rate, total system for steamers prevents limescale formation, (1) 7CB5 carbon filters, (1) SS-10 scale inhibitor Cartridge, dip tube, (2) 2.2 lbs. canisters ScaleKleen® (EV979721)
- 1 ea. No charge equipment check out after the unit has been fully installed and put into service

ITEM 16 D – Same oven as 16 C -1 ea**.** 208V/60/3-ph

ITEM 16 E – Combi Oven, Electric Steamer
Vulcan Model ABC7E
Combi Oven/Steamer, electric, boilerless, (7) 18" x 26" full-size sheet or (14) 12" x 20" full-size hotel pan capacity, (3) knobs with LED displays for temperature, timer and humidity, auto-adjustment of humidity with temperature selection, auto-reversing fan with an electronic braking system, cool to touch glass door, flashing door light and audible alert, (4) Grab n Go wire racks, stainless-steel interior and exterior, engineered and assembled in USA, UL EPH Classified, cULus

- 1 ea. 1-year limited parts & labor warranty, standard
- 1 ea. K-12 School Nutrition extended warranty extends the warranty for 12 months beyond the 12-month Original Equipment Warranty, not to exceed 24 months from the date of installation
- 1 ea 480V/60/3-ph, 28.9 amps, 24kW, option
- 1ea. Filtration System
- 1ea. NOTE: Water is a customer-supplied utility just like gas and electric to the equipment. Proper water filtration based on customer water quality is essential to meet the equipment water spec requirements. Verify the type of filtration needed based on performing a cold-water analysis from the customer site. A suitable water treatment system and regular filter replacement coupled with routine cleaning/deliming is required.
- 2 ea. Opted out of Reverse Osmosis System
- 20 ea. Model 1220-BASKET Air Fry Basket, 12”x20”, fits ABC & Minijet Combi
- 1 ea. Model STACK-ABC/E Stacking Kit, electric, for (2) ABC7E Combi, includes: vent kit, spray hose, drip tray and casters
- 1 ea. Model SPRAY-ABC Spray Hose Kit, Provided with ABC Stand or ABC Stacking Kits - includes spray handle, 8 ft. stainless-steel braided hose and mounting hardware
- 1 ea. Everpure Model EV979721 KleenSteam II Single System, 10,000-gallon capacity, 2.5 GPM flow rate, total system for steamers prevents limescale formation, (1) 7CB5 carbon filters, (1) SS-10 scale inhibitor cartridge, dip tube, (2) 2.2 lbs. canisters ScaleKleen® (EV979721)
- 1 cs. Model VDL-1 Vulcan Detergent Liquid, 2.5 gals each, (2) per case (sold per case)
- 1 cs. Model VRL-1 Vulcan Rinse Liquid, 2.5 gals each, (2) per case (sold per case)
- 1 ea No charge equipment check out after the unit has been fully installed and put into service

ITEM 16 F – Same oven as 16 E-1ea. 208V -3ph

ITEM 16 G - Combi Oven, Electric Steamer
UNOX Cheftop MIND.Maps Plus Model XAVC-10FS-HPRM
Dimensions: 45.75”(h) x 33”(w) x 38”(d)

- 1 ea. 1-year parts & labor warranty, standard
- 1 ea. Extended warranty extends the warranty for 12 additional months
- 1 ea. 480V/60/3-ph 33 kw/44 amps
- 1 ea. 10 wire racks for 18 x 26 pans
- 1 ea. Stand with runners and adjustable feet, with pan supports
- 1 ea. Everpure SC10011 Steam Filtration System
- 10 ea. Full-size fry baskets
- 1 ea. Left or Right door opening

ITEM 16 H – **Same oven as 16 G -**1ea. 208V/3-ph 22kw/66 amps

SMALL COMBI OVEN
APPROVED BRANDS OR EQUAL/COMPARABLE

ITEM 17 A-Small Combi Oven, Gas (1 req’d)
Vulcan Model No. CHEF-61G
Dimensions: 35.35”(h) x 33.54”(w) x 35.16”(d)
Chef's Combi 61G, Gas 6-level half-size(GN 1/1) capacity (6) 13"x18" half-size sheet or (6) 12" x 20" steam pan. All-in-one multifunctional cooking equipment with customizable CombiOS interface, CombiClimateControl, AutoClimate, CombiGuide, MenuMix, & CombiCare. Advanced technologies for premium cooking results with powerful heating, humidity sensor-controlled climate regulation, high-

performance dehumidification, controlled even heat distribution and humidifying function. Multi-point food probe, (3) wire racks, retractable sprayer, Ethernet & WiFi enabled, steam generator combi oven, 58,006 BTU, IPX5, cULus, NSF

- 1 ea. Model CHEFSCOMBI WARRANTY 2 years limited parts & labor warranty, standard
- Model CHEF-VCC Chef Assistance Program, a Vulcan Certified Chef conducts 4 hours/location specialized application training with personnel, no charge
- 1 ea. Model CHEF-STAND101 Stainless steel short 27" stand with (6) shelving levels for full size Chef'sCombi ovens 61 or 101
- 1 cs. Model CHEF-CL-BUNDLE Cleaning Bundle, Includes: (2) Cleaner Tab Buckets (100 each) for use inside the oven as part of the CombiCare Quick, light, medium & strong cleaning cycles, (1) Care Stick Bucket (100) for use in the front descaling box as part of the CombiCare descaling cycle (Non-Discountable NET Pricing)
- 1 ea. Model CB15K-SYSTEM Single Hollow Carbon Filter System, with 15,000 gallon capacity, for chlorine & chloramine reduction, sediment, bad tastes & odors, total organic compounds, tannins & trihalomethanes, ANSI/NSF 42 & 53
- 1 ea. Model VRACK-61 (3) Standard Grab-and-Go Racks for 61 sized Vulcan Combi, for use with 13" x 18" half sheet pans

ITEM 17 B – Small Combi Oven, Gas (1 req'd)
Blodgett INVOQ Model 61BLG
Dimensions: 33.5"(h) x 36.9"(w) x 35.7"(d)
Combi Oven Steamer, Gas, boilerless, capacity (7) 18" x 13" half size sheet or (7) 12" x 20" full size hotel (GN 1/1) pan capacity (standard), (2) side racks with non-tilt support rails, (5) stainless steel wire racks (included), touch screen controls, SmartChef program, MenuPlanner, CombiSpeed/CombiSense cooking modes, built-in hand shower, stores up to 1,500 recipes, CombiSteam system with Injection Steam, external temperature probe, Delta-T cooking, Cook & Hold, USB port, HACCP, CareCycle Tablet-based automatic cleaning system, heat protection with triple-pane glass door, stainless steel exterior & interior, 44,400 BTU, cULus, NSF, CE -
PROVIDE UNIT WITH THE FOLLOWING ACCESSORIES:

- 1 ea. Configuration Required: Please select a Stand Type and Water Filtration System from the configuration list below before completing your quote.
- 1 ea. 1 year parts & labor warranty, standard
- 1 ea. K-12 Extended Warranty: Extends the warranty to 2 years parts & labor 5 years boiler warranty.
- 1 ea. Natural Gas
- 1 ea. 120V/60/1-ph, 10.0 amps, standard.
- 1 kt. Model 63811 Parts only install platinum kit.
- 1 ea. Model CHEF TRAINING Chef training assistance on-site, included for each new location, to be coordinated with a local designated Middleby rep chef once the combi installation process has been successfully completed
- 1 ea MultiRack system - fits full size sheet pans and hotel pans simultaneously - Available only for 6-1/1 GN or 10-1/1 GN size ovens)
- 1 ea Door hinged on left, standard
- 1 ea Side Heat Shield, stainless steel, to insure protection from grease, water or heat near control panel. Mounts on right side using 4" standoffs
- 1 ea Backflow preventer (two needed per section)
- 1 ea Model FRY BASKET Fry Basket - p/n 60797
- 1 ea Model COMBI SHEET/PIZZA GRILL Combi Sheet/Pizza Grill - p/n 60798
- 1 ea Model GRILLING GRID Grilling Grid - p/n 60678
- 1 ea Model SILICONE BAKING SHEET Silicone Baking Sheet - p/n 60795 - The sheets are 2 mm thick with a silicone coating.

- 1 ea Model EDGED SEAR SHEET Edged Sear Sheet - p/n 61990 - shallow depth enamel coated hotel pan.
- 1 ea 32.9" tall stand with runners and casters
- 1 ea BCC-1MCS10 WATER FILTER SYSTEM. Includes Citryne®, which is a patented blend to eliminate the effects of scale in commercial food service equipment. (Recommended for GOOD quality water) (NET)
- 1 ea Note: An RO system must be included on this quote if water test results have either not been received by the dealer PRIOR to printing this quote or if water test results indicate the customer's water quality does not meet Blodgett's water supply guidelines.
- 1 bx Model 63768 Blodgett INVOQ CareCycle Clean tab for oven interior wash (150 PER BOX) (NET)
- 1 bx Model 63769 Blodgett INVOQ CareCycle Descale tab for oven descaling (150 PER BOX) (NET)
- 1 ea T&S Gas Hose – HG-4D-48SK - Safe-T-Link Gas Connector Kit, 3/4" connection, 48" hose, stainless steel braiding with extruded coating, (1) Quick-Disconnect, (2) Swivelink fittings, (1) 90° elbow, ball valve, restraining cable adjustable for 3' to 5', 180,000 BTU / hr minium flow capacity

ITEM 17 C - Small Combi Oven, Gas (1 req'd)
Unox USA Model XAVC-06FS-GPRM
Dimensions: 33.13"(h) x 33.88"(w) x 38.06" (d)
ChefTop MIND.Maps™ Plus Combi Oven/Steam Oven is a gas countertop oven that combines heat, hot air flow and steam. (6) 18" x 26" full size sheet or (12) hotel size pan capacity, MIND.Maps™ technology, programmable menu, 2-11/16" shelf spacing, glass door, right-to-left door opening, stainless steel interior & exterior, WIFI/USB for data transfer to HACCP software, 1kW, 8 amps, 120v/60/1-ph, cETLus, NSF, ENERGY STAR® (cooking chamber built from 316L stainless steel)
(For safety and reliability purposes, CHEFTOP MIND.Maps™ Gas ovens (Free Standing and Countertop Models) must be equipped with only UNOX brand casters with safety chains),Gas lines is not included with the oven and must be purchased separately. Ovens come standard with rack slides for sheet pans.
- Combi oven must have MULTI.TIME function that cooks up to 10 different products at the same time.
- Cooking chamber must come standard with marine grade stainless steel.

- 1 ea. Model INSTALL FORM End User Data & Installation Confirmation Form.
- 1 ea. 2 Year parts and 1 year labor warranty standard.
- 1 ea. Model LL4-2 Long.Life 4 years warranty/10,000 working hours on parts and 2 years labor.
- 1 ea. Model INSTALL-B1 Install 0611/1011/06FS 1ST oven.
- 1 ea. Natural gas
- 1 ea. Model USXUC348 Unox/Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, (1) SnapFast® QD, (1) full port valve, (2) 90° elbows, (1) Snap'N Go, coiled restraining cable with hardware, 180,000 BTU/hr minimum flow capacity, limited lifetime warranty
- 1 ea. Model XHC012 UNOX. Filtering System.
- 1 ea. Model INSTALL-WF Install Unox Finest/Pentair® Base
- 2 cs. Model DB1076A0 Detergent & Rinse Ultra Plus, (10) 1 liter bottles, cleaning chemicals for CHEFTOP MIND.Maps™, SPEED-X™, CHEFTOP-X™ ovens.
- 1 ea. Model XEC019 Enhanced buzzer.
- 4 ea. Model GRP560 CHROMO.GRID, 18"x26", stainless steel
- 4 ea. Model GRP575 STEAM&FR Basket, 18"x26", stainless steel.

ITEM 18 A - Small Combi Oven, Electric (1 req'd)
Vulcan Model CHEF-61E
Dimensions: 35.35"(h)x33.54"(w)x35.16"(d)
CHEF'SCOMBI 61E, Electric 6-level half-size (GN 1/1) capacity, (6) 13" x 18" half-size sheet pan or (6) 12" x 20" steam pan, All-in-one multifunctional cooking equipment with customizable CombiOS interface, CombiClimateControl, AutoClimate, CombiGuide, MenuMix, & CombiCare, humidity sensor-controlled climate regulation, high-performance dehumidification, controlled even heat distribution & humidifying function, Multi-point food probe, (3) wire racks, retractable sprayer, Ethernet & WiFi enabled, steam generator combi oven, IPX5, cULus, NSF

- 1 ea. Model CHEFSCOMBI WARRANTY 2 years limited parts & labor warranty, standard.
- 1 ea. Model CHEF-VCC Chef Assistance Program, a Vulcan Certified Chef conducts 4 hours/location specialized application training with personnel, no charge.
- 1 ea. 208V/60Hz/3ph
- 1 ea. Model CHEF-STAND101 Stainless steel short 27" stand with (6) shelving levels for full size Chef'sCombi ovens 61 or 101
- 1 cs. Model CHEF-CL-BUNDLE Cleaning Bundle, Includes: (2) Cleaner Tab Buckets (100 each) for use inside the oven as part of the CombiCare Quick, light, medium & strong cleaning cycles, (1) Care Stick Bucket (100) for use in the front descaling box as part of the CombiCare descaling cycle.
- 1 ea. Model CB15K-SYSTEM Single Hollow Carbon Filter System, with 15,000 gallon capacity, for chlorine & chloramine reduction, sediment, bad tastes & odors, total organic compounds, tannins & trihalomethanes, ANSI/NSF 42 & 53.
- 2 ea. Model VRACK-61 (3) Standard Grab-and-Go Racks for 61 sized Vulcan Combi, for use with 13" x 18" half sheet pans.

ITEM 18 B – **Same oven as 18 A -**1ea. 480V/60/3-ph

ITEM 18 C -Small Combi Oven, Electric (1 req'd)
Blodgett INVOQ Model 61BLE
Dimensions: 33.5"(h) x 36.9"(w) x 35.7"(d)
Blodgett INVOQ Model No. 61BLE, Combi Oven Steamer, Electric, boilerless, capacity (7) 18" x 13" half size sheet or (7) 12" x 20" full size hotel (GN 1/1) pan capacity (standard), (2) side racks with non-tilt support rails, (5) stainless steel wire racks (included), touch screen controls, SmartChef program, MenuPlanner, CombiSpeed/CombiSense cooking modes, built-in hand shower, stores up to 1,500 recipes, HybridSteam system with Injection Steam & Boiler Steam, external temperature probe, Delta-T cooking, Cook & Hold, USB port, HACCP, CareCycle Tablet-based automatic cleaning system, heat protection with triple-pane glass door, stainless steel exterior & interior, cULus, NSF, CE, Energy Star® -
PROVIDE UNIT WITH THE FOLLOWING ACCESSORIES:

- 1 ea. Configuration Required: Please select a Stand Type and Water Filtration System from the configuration list below before completing your quote.
- 1 ea. 1 year parts & labor warranty, standard.
- 1 ea. K-12 Extended Warranty: Extends the warranty to 2 years parts & labor 5 years boiler warranty
- 1 ea. Model CHEF TRAINING Chef training assistance on-site, included for each new location, to be coordinated with a local designated Middleby rep chef once the combi installation process has been successfully completed
- 1 ea. 208v/60Hz/3ph standard
- 1 ea MultiRack system - fits full size sheet pans and hotel pans simultaneously - Available only for 6-1/1 GN or 10-1/1 GN size ovens)
- 1 ea Door hinged on left, standard

- 1 ea Side Heat Shield, stainless steel, to insure protection from grease, water or heat near control panel. Mounts on right side using 4" standoffs
- 1 ea Backflow preventer (two needed per section)
- 1 ea Model FRY BASKET Fry Basket - p/n 60797
- 1 ea Model COMBI SHEET/PIZZA GRILL Combi Sheet/Pizza Grill - p/n 60798
- 1 ea Model GRILLING GRID Grilling Grid - p/n 60678
- 1 ea Model SILICONE BAKING SHEET Silicone Baking Sheet - p/n 60795 - The sheets are 2 mm thick with silicone coating.
- 1 ea Model EDGED SEAR SHEET Edged Sear Sheet - p/n 61990 - shallow depth enamel coated hotel pan.
- 1 ea 32.9" tall stand with runners and casters.
- 1 ea BCC-1MCS10 WATER FILTER SYSTEM. Includes Citryne®.
- 1 ea Note: An RO system must be included on this quote if water test results have either not been received by the dealer PRIOR to printing this quote or if water test results indicate the customer's water quality does not meet Blodgett's water supply guidelines.
- 1 bx Model 63768 Blodgett INVOQ CareCycle Clean tab for oven interior wash (150 PER BOX) (NET)
- 1 bx Model 63769 Blodgett INVOQ CareCycle Descale tab for oven descaling (150 PER BOX) (NET)

ITEM 18 D – Small Combi Oven, Electric (1 req'd)
UNOX USA XAVC-Model 06FS-EPRM
Dimensions: 33.13"(h) x 33.88"(w) x 38.06"(d)
ChefTop MIND.Maps™ Plus Combi Oven/Steam Oven, electric countertop oven that combines heat, hot air flow and steam. (6) 18" x 26" full size sheet or (12) hotel size pan capacity, MIND.Maps™ technology, programmable menu, 2-11/16" shelf spacing, glass door, right-to-left door opening, stainless steel interior & exterior, WIFI/USB for data transfer to HACCP software, 19kW, 47 amps, cMETus, NSF, ENERGY STAR® (cooking chamber built from 316L stainless steel), The water line to connect from oven to ¾" mpt water connection with in three feet of water placement is included. Ovens come standard with rack slides for sheet pans.
- Combi oven must have MULTI.TIME function that cooks up to 10 different products at the same time.
- Cooking chamber must come standard with marine grade stainless steel.

- 1 ea Model INSTALL FORM End User Data & Installation Confirmation Form
- 1 ea 2 Year parts and 1 year labor warranty standard
- 1 ea Model LL4-2 Long.Life 4 years warranty/10,000 working hours on parts and 2 years labor
- 1 ea Model INSTALL-B1 Install 0611/1011/06FS/10FS 1st oven
- 1 ea 208V/60/3-ph, 42 amps, 14.5 kW, No cord & plug
- 1 ea Model USXEC003 UNOX Power Cable - 3 Phase 6 AWG - NEMA 15-60, XAVC-06FS-EpxM; XAVC-1011-EPxM
- 1 ea Model XHC012 UNOX Fitering system.
- 1 ea Model INSTALL-WF Install Unox Finest/Pentair® Base
- 2 cs Model DB1076A0 Detergent & Rinse Ultra Plus, (10) 1 liter bottles, cleaning chemicals for CHEFTOP MIND.Maps™, SPEED-X™, CHEFTOP-X™ ovens.
- 1 ea Model XEC019 Enhanced buzzer.
- 4 ea Model GRP560 CHROMO.GRID, 18"x26", stainless steel
- 4 ea Model GRP575 "STEAM&FRY" Basket, 18"x26", stainless steel.

ITEM 18 E – Same oven as 18 D– 1 ea. 240V/60/3-ph 47amps, 19kW, No cord & plug, standard.

TILTING SKILLET

APPROVED BRANDS OR EQUAL/COMPARABLE

ITEM 19 A– Tilting Skillet Braising Pan, Gas

Crown (Middleby) Model SKG-40

Tilting Skillet, gas, 40-gallon capacity, manual tilt mechanism, solid state temperature control, IPX6 water-resistant console, stainless-steel interior, stainless-steel exterior, 156,000 BTU, CETLus, NSF

- 1 ea. Standard 1-year limited parts & labor warranty
- 1 ea. Extended 3-year warranty, for K-12 Schools and Universities only
- 1 ea. Natural Gas
- 1 ea. Voltage to be specified
- 1 ea. Model TVT-2 2" tangent draw off valve includes perforated strainer (location as per spec)
- 1 ea. Model PS-SK Pouring lip strainer for SKG & SKE skillets
- 1 ea. Model PT-SK Power Tilt, with hand tilt override for SKG skillets
- 1 ea. Model SF-12 Single pantry faucet with 12" swing spout
- 1 ea. Gas Regulator as needed

ITEM 19 B – Tilting Skillet Braising Pan, Gas

Vulcan Model VG40

Braising Pan, Gas, 40-gallon capacity, 46" wide open base, manual tilt, 9" deep stainless-steel pan with gallon markings, pouring lip & removable strainer, spring assist cover with drip edge, pan holder, solid state control, includes L faucet bracket, electric ignition, 12" stainless-steel legs with adjustable flanged feet, 120,000 BTU, CSA Flame, CSA Star, UL EPH Classified

- 1 ea. 1-year limited parts and labor warranty, standard
- 1 ea. K-12 School Nutrition extended warranty extends the warranty for 12 months beyond the 12-month original equipment warranty, not to exceed 24 months from the date of installation
- 1 ea. Gas type to be specified
- 1 ea. 120v/60/1-ph, 9.0 amps, cord and plug, standard
- 1 ea. Model DBPTYTS WSHDWN DOUBLE Pantry Deck Mount Faucet, with backflow preventer, 16" add-on faucet, washdown hose, wall hook, NSF and Lead Reduction Compliant (Note: water connection required)
- 1 ea. Model BPDOV-1 2" draw-off valve, left front straight with strainer (pan support not available on 30-gallon)
- 1 ea. Model STRAINR-BPPOUR Pouring Lip Strainer.
- 1 ea. No charge equipment check out after the unit has been fully installed and put into service

ITEM 20 A – Tilting Skillet Braising Pan, Electric

Vulcan Model VE40

Braising Pan, Electric, 40-gallon capacity, 16 kW FastBatch™ embedded heating technology, 46" wide open base, manual tilt, 9" deep stainless-steel pan with gallon markings, pouring lip and removable strainer, spring assist cover with drip edge, pan holder, watertight solid-state controls, includes L faucet bracket, 12" stainless-steel legs with adjustable flanged feet, cULus, UL EPH Classified.

- 1 ea. 1-year limited parts and labor warranty, standard
- 1 ea. K-12 School Nutrition extended warranty extends the warranty for 12 months beyond the 12-month original equipment warranty, not to exceed 24 months from the date of installation
- 1 ea. 208V/60/3-ph, 16 kW, 46.0 amps, direct wire
- 1 ea. Model DBPTYTS WSHDWN DOUBLE Pantry Deck Mount Faucet, with backflow preventer, 16" add-on faucet, washdown hose, wall hook, NSF and Lead Reduction Compliant (Note: water connection required)

ITEM 20 B – Same item as 20 A - 1 ea. 480V/60/3-ph, 27.0 kW, 36.0 amps.

ITEM 20 C – Tilting Skillet Braising Pan, Electric
Market Forge Model 40P-STEL
Tilting Skillet, electric, 40-gallon capacity, open leg frame base, standard with manual tilt mechanism, stainless-steel pan, and frame.

- 1 ea. 208V/60/3-ph, 22.0 amps, 18.0 kW
- 1 ea. 98-6012 Power Tilt
- 1 ea. 98-6014 Draw-Off, 2" with strainer
- 1 ea. 98-6002 Single Pantry Faucet, complete kit with brackets and plumbing
- 1 ea. Standard 1-year parts and labor warranty, equipment only
- 1 ea. Optional 2nd-year parts and labor warranty, equipment only

ITEM 20 D – Same item as 20 C - 1 ea. 480V 3-ph

REACH-IN DISPLAY MERCHANDISER
APPROVED BRANDS OR EQUAL/COMPARABLE

ITEM 21 A– Display Merchandiser Refrigerator
Beverage-Air Model MMR23-1-B-LED
Dimensions: 78”(h) x 33-5/8”(d) x 27”(w)

- 1 ea. 23 Cu. Feet Space w/ 5 Shelves.
- 1 ea. Exterior Black Heat tempered surface, interior white.
- 1 ea. Double Pane tempered glass door, self-closing.
- 1 ea. 115V/60/1-ph NEMA-5-15P Electrical, R134a Refrigerant.
- 1 ea. Optional items to include: LED interior lighting.
- 1 ea. 3-year parts plus a 2-year warranty on the compressor

ITEM 21 B – Display Merchandiser Refrigerator
Traulsen Model G11010M
Dealer's Choice Merchandiser Refrigerator, Reach-in, one-section, 23.57 cu. ft., self-contained refrigeration with microprocessor control, full height glass door with LED embedded lights (hinged right), anodized aluminum sides and interior, (3) epoxy coated shelves (factory installed), LED interior lights, 6" high casters, 1/3 hp, cETLus, NSF

- 1 ea. 6-year parts and labor and 7-year compressor, standard.
- 1 ea. 115V/60/1-ph, 7.3 amps, NEMA 5-15P, standard
- 1 ea. Model G1ACC-SHLF1 Set of 3 epoxy-coated shelves with pins for all single-section G-series models

ICE CREAM FREEZER
APPROVED BRANDS OR EQUAL/COMPARABLE

ITEM 22 A – Ice Cream Freezer
Beverage-Air Model NC51HC-1

- 1 ea. 115V/60/1-ph
- 1 ea. 1-year parts and labor warranty with 1-year additional warranty
- 1 ea. 30” Wide on 2” casters
- 1 ea. Locking lid

- 1 ea. 5 removable baskets

ITEM 22 B – Ice Cream Freezer
Beverage-Air Model NC34HC-1

- 1 ea. 115V/60/1-ph
- 1 ea. 1-year parts and labor warranty with 1-year additional warranty
- 1 ea. 2" casters
- 1 ea. Locking lid
- 1 ea. 2 removable baskets

MILK COOLERS
APPROVED BRANDS OR EQUAL/COMPARABLE

ITEM 23 A– Milk Cooler
Traulsen Model RMC34S4
Spec-Line Forced-Air Single Access Milk Cooler, sliding door, holds (8) 13"x13" crates or (4) 13"x19" milk crates, stainless-steel interior and exterior, reinforced floor, sliding caster rails, (2) heavy-duty stainless-steel dunnage racks, top-mount refrigeration system, digital control, E-Z clean gaskets, floor drain, 4" factory mounted adjustable casters, 1/3 hp, cETLus, NSF

- 1 ea. 6-year parts and labor and 7-year compressor, standard.
- 1 ea. 115V/60/1-ph, 7.2 amps, NEMA 5-15P

ITEM 23 B – Milk Cooler
Traulsen Model RMC34D4
Spec-Line Forced-Air Double Access Milk Cooler, sliding door, holds (8) 13"x13" crates or (4) 13"x19" milk crates, stainless-steel interior and exterior, reinforced floor, sliding caster rails, (2) heavy-duty stainless-steel dunnage racks, top-mount refrigeration system, digital control, E-Z clean gaskets, floor drain, 4" factory mounted adjustable casters, 1/3 hp, cETLus, NSF.

- 1 ea. 6-year parts and labor and 7-year compressor, standard.
- 1 ea. 115V/60/1-ph, 7.2 amps, NEMA 5-15P

ITEM 23 C – Milk Cooler
Traulsen Model RMC49S4
Spec-Line Forced-Air Single Access Milk Cooler, sliding door, holds (12) 13"x13" crates or (8) 13"x19" milk crates, stainless-steel interior and exterior, reinforced floor, sliding caster rails, (3) heavy-duty stainless-steel dunnage racks, top-mount refrigeration system, digital control, E-Z clean gaskets, floor drain, 4" factory mounted adjustable casters, 1/3 hp, cETLus, NSF.

- 1 ea. 6-year parts and labor and 7-year compressor, standard. Visit www.traulsen.com for details
- 1 ea. 115V/60/1-ph, 7.2 amps, NEMA 5-15P

ITEM 23 D - Milk Cooler
Traulsen Model RMC49D4
Spec-Line Forced-Air Double Access Milk Cooler, sliding door, holds (12) 13"x13" crates or (8) 13"x19" milk crates, stainless-steel interior and exterior, reinforced floor, sliding caster rails, (3) heavy-duty stainless-steel dunnage racks, top-mount refrigeration system, digital control, E-Z clean gaskets, floor drain, 4" factory mounted adjustable casters, 1/3 hp, cETLus, NSF.

- 1 ea. 6-year parts and labor and 7-year compressor, standard.
- 1 ea. 115V/60/1-ph, 7.2 amps, NEMA 5-15P

ITEM 23 E – Milk Cooler
Traulsen Model RMC58S4
Spec-Line Forced-Air Single Access Milk Cooler, sliding door, holds (16) 13"x13" crates or (10) 13"x19" milk crates, stainless-steel interior and exterior, reinforced floor, sliding caster rails, (4) heavy-duty stainless-steel dunnage racks, top-mount refrigeration system, digital control, E-Z clean gaskets, floor drain, 4" factory mounted adjustable casters, 1/3 hp, cETLus, NSF.

- 1 ea. 6-year parts and labor and 7-year compressor, standard.
- 1 ea. 115V/60/1-ph, 7.2 amps, NEMA 5-15P

ITEM 23 F – Milk Cooler
Traulsen Model RMC58D4
Spec-Line Forced-Air Double Access Milk Cooler, sliding door, holds (16) 13"x13" crates or (10) 13"x19" milk crates, stainless-steel interior and exterior, reinforced floor, sliding caster rails, (4) heavy-duty stainless-steel dunnage racks, top-mount refrigeration system, digital control, E-Z clean gaskets, floor drain, 4" factory mounted adjustable casters, 1/3 hp, cETLus, NSF.

- 1 ea. 6-year parts and labor and 7-year compressor, standard.
- 1 ea. 115V/60/1-ph, 7.2 amps, NEMA 5-15P

ITEM 23 G – Milk Cooler
Beverage-Air Model SMF34HC-1-S
Provide one (1) Single Access Forced Air Milk Cooler, Model SMF34HC-1-S. Unit shall be provided with all standard features as follows:

- 1 ea. Overall dimensions to be 34" W x 33-5/8" D x 46-1/2" H with casters.
- 1 ea. Capacity for eight (8) 13" x 13" x 11" milk crates
- 1 ea. Stainless-steel exterior and interior
- 1 ea. Stainless-steel lids, hinges, doors and door latches
- 1 ea. Heavy-duty epoxy-coated steel wire floor racks standard
- 1 ea. Floor drain centrally located for easy cleaning, connecting to drain hose with hose adapter
- 1 ea. Flexible compression door gaskets to ensure tight door seal
- 1 ea. Self-latching doors and lids with safety bumpers
- 1 ea. Exterior thermometer
- 1 ea. Cylinder lock
- 1 ea. 6" heavy-duty plate casters, two with brakes
- 1 ea. Balanced forced-air refrigeration system to provide rapid chilling of product

ITEM 23 H – Milk Cooler
Beverage-Air Model SMF49HC-1-S
Provide one (1) Single Access Forced Air Milk Cooler, Model SMF49HC-1-S. Unit shall be provided with all standard features as follows:

- 1 ea. Overall dimensions to be 49" W x 33-5/8" D x 47" H with casters.
- 1 ea. Capacity for twelve (12) 13" x 13" x 11" milk crates
- 1 ea. Stainless-steel exterior and interior
- 1 ea. Stainless-steel lids, hinges, doors and door latches
- 1 ea. Heavy-duty epoxy-coated steel wire floor racks standard
- 1 ea. Floor drain centrally located for easy cleaning, connecting to drain hose with hose adapter
- 1 ea. Flexible compression door gaskets to ensure tight door seal
- 1 ea. Self-latching doors and lids with safety bumpers

- 1 ea. Exterior thermometer
- 1 ea. Cylinder lock
- 1 ea. 6" heavy-duty plate casters, two with brakes
- 1 ea. Balanced forced-air refrigeration system to provide rapid chilling of product

ITEM 23 I – Milk Cooler
Beverage-Air Model SMF58HC-1-S
Provide one (1) Single Access Forced Air Milk Cooler, Model SMF58HC-1-S. Unit shall be provided with all standard features as follows:

- 1 ea. Overall dimensions to be 58" W x 34" D x 47-3/4" H with casters.
- 1 ea. Capacity for sixteen (16) 13" x 13" x 11" milk crates
- 1 ea. Stainless-steel exterior and interior
- 1 ea. Stainless-steel lids, hinges, doors and door latches
- 1 ea. Full electronic control
- 1 ea. Heavy-duty epoxy-coated steel wire floor racks standard
- 1 ea. Floor drain centrally located for easy cleaning, connecting to drain hose with hose adapter
- 1 ea. Flexible compression door gaskets to ensure tight door seal
- 1 ea. Self-latching doors and lids with safety bumpers
- 1 ea. Exterior thermometer
- 1 ea. Cylinder lock
- 1 ea. 5" heavy-duty plate casters, two with brakes
- 1 ea. Balanced forced-air refrigeration system to provide rapid chilling of product
- 1 ea. Environmentally friendly, energy-efficient R290 refrigerant meeting all regulatory requirements for CARB, SNAP, and DOE
- 1 ea. Epoxy-coated evaporator coil
- 1 ea. Cabinet shall maintain milk temperatures between 36°-40°F

ITEM 23 J – Milk Cooler
Beverage-Air Model STF49HC-1-S
Provide one (1) Dual Access Forced Air Milk Cooler, Model STF49HC-1-S. Unit shall be provided with all standard features as follows:

- 1 ea. Overall dimensions to be 49" W x 34" D x 47-3/4" H with casters.
- 1 ea. Capacity for twelve (12) 13" x 13" x 11" milk crates
- 1 ea. Stainless-steel exterior and interior
- 1 ea. Stainless-steel lids, hinges, doors and door latches
- 1 ea. Full electronic control
- 1 ea. Heavy-duty epoxy-coated steel wire floor racks standard
- 1 ea. Floor drain centrally located for easy cleaning, connecting to drain hose with hose adapter
- 1 ea. Flexible compression door gaskets to ensure tight door seal
- 1 ea. Self-latching doors and lids with safety bumpers
- 1 ea. Exterior thermometer
- 1 ea. Cylinder lock
- 1 ea. 5" heavy-duty plate casters, two with brakes
- 1 ea. Balanced forced-air refrigeration system to provide rapid chilling of product
- 1 ea. Environmentally friendly, energy-efficient R290 refrigerant meeting all regulatory requirements for CARB, SNAP, and DOE
- 1 ea. Epoxy-coated evaporator coil

- 1 ea. Cabinet shall maintain milk temperatures between 36°-40°F

ITEM 23 K – Milk Cooler
BEVERAGE AIR Model STF58HC-1-S
Provide one (1) Dual Access Forced Air Milk Cooler, Model STF58HC-1-S. Unit shall be provided with all standard features as follows:

- 1 ea. Overall dimensions to be 58" W x 34" D x 47-3/4" H with casters.
- 1 ea. Capacity for sixteen (16) 13" x 13" x 11" milk crates
- 1 ea. Stainless-steel exterior and interior
- 1 ea. Stainless-steel lids, hinges, doors and door latches
- 1 ea. Full electronic control
- 1 ea. Heavy-duty epoxy-coated steel wire floor racks standard
- 1 ea. Floor drain centrally located for easy cleaning, connecting to drain hose with hose adapter
- 1 ea. Flexible compression door gaskets to ensure tight door seal
- 1 ea. Self-latching doors and lids with safety bumpers
- 1 ea. Exterior thermometer
- 1 ea. Cylinder lock
- 1 ea. 5" heavy-duty plate casters, two with brakes

ICE MACHINE
APPROVED BRANDS OR EQUAL/COMPARABLE

ITEM 24 A – Ice Machine with Bin
Manitowoc Model IDT-0420A/B420
Indigo NXT Series Ice Maker, cube-style, air-cooled, self-contained condenser. Up to 470-lb. per /24 hours, regular dice size cubes, R410A, NSF, ENERGY STAR.

- 1 ea. Warranty – ICE-SC
- 1 ea. 3-year warranty parts and labor (Machine)
- 1 ea. 5-year parts and labor (Evaporator) - 5-year parts (Compressor)
- 1 ea. (-161) 115V/60/1-PH/ 0.1 AMPS
- 1 ea. External mounting, assembly does not include cleaner or sanitizer, NFS, cULus
- 1 ea. (-161)115V/60/1-ph/0.1 amps
- 1 ea. Warranty – AUCS 3-year parts and labor, standard
- 1 ea. AR-10000 Artic Pure Primary Water Filter Assembly, includes head, shroud, hardware, mounting assembly, and (1) filter cartridge, 14,000-gallon capacity, 0-600 lbs./ice per day.
- 1ea. Warranty – ACPURE 3-year parts and labor warranty on the cap, housing, hardware, and mounting assembly (does not refer to filter cartridge), standard.
- 1 ea. B420 Ice Bin, with a top-hinged front door, approximately 310 lb. capacity for the top-mounted ice maker, stainless-steel exterior 6” adjustable stainless-steel legs, standard.
- 1 ea. Warranty –Bin/Disp 3-year parts and labor commercial warranty.
- 1 ea. K00461 External Scoop Holder, wall or bin mount, metal frame with a plastic shield, NSF
- 1 ea. Legs, 6" adjustable stainless-steel, standard
- 1 ea. **CHEMICALS: DISINFECTANTS AND SANITIZERS –** Manitowoc Model No. 000005164 – Sanitizer 16 Oz.
- 1 ea. **CHEMICALS: ICE MACHINE CLEANERS –** Manitowoc Model No. 000005162 – Cleaner 16 Oz.

ITEM 24 B – Ice Machine with Bin
Manitowoc Model IDT0450A/D400
Indigo NXT™ Series Ice Maker, cube-style, air-cooled, self-contained condenser, 30"W x 24"D x 21-1/2"H, production capacity up to 470 lb./24 hours at 70°/50° (358 lb. AHRI certified tat 90°/70°), easy-touch display with 13 different language options, date/time stamp display, automatic reminder/alert icon, one-touch asset information, automatic detection of accessories, continuous operating status, programmable production options (time, weight, day or night), one-touch cleaning with displayed instructions, Alpha-San anti-microbial protection, acoustical ice sensing probe, self-diagnostic technology, DuraTech™ exterior, dice size cubes, R410A refrigerant, NSF, cULus, CE, ENERGY STAR®

- 1 ea. (-161) 115V/60/1-ph, 11.9 amps
- 1 ea. Warranty-Ice-SC 3-year parts and labor (Machine), 5-year parts and labor (Evaporator), 5-year parts and 3-years labor (Compressor), standard
- 1ea. IAUCS iAuCS Automatic Cleaning System, accessory for Indigo NXT Cubers iF0300 - iT1900 & QuietQube models iF600C - iF2100C, external mounting, automatically schedules and performs routine de-scaling, assembly does not include cleaner or sanitizer, NSF, cULus (NOT for use with IB models)
- 1 ea. AR-10000 Artic Pure Primary Water Filter Assembly, includes head, shroud, hardware, mounting assembly, and (1) filter cartridge, 14,000-gallon capacity, 0-600 lbs./ice per day.
- 1 ea. Warranty – ACPURE Three-year parts and labor warranty on the cap, housing, hardware, and mounting assembly (does not refer to filter cartridge), standard.
- 1 ea. D400 Ice Bin, 30"W x 34"D x 38"H, with side-hinged front-opening door, side grips, 365 lbs. application capacity, AHRI certified 12.3 cu. ft., for top-mounted ice maker, Duratech exterior, NSFo
- 1 ea. Warranty –Bin/Disp 3-year parts & labor commercial warranty
- 1 ea. K00461 External Scoop Holder, wall or bin mount, metal frame with plastic shield, NSF
- 1 ea. Legs, 6" adjustable stainless-steel, standard
- 1 ea. **CHEMICALS: DISINFECTANTS and SANITIZERS –**Manitowoc Model No. 000005164 – Sanitizer 16 Oz.
- 1ea**. CHEMICALS: ICE MACHINE CLEANERS**-Manitowoc Model No. 000005162 – Cleaner 16 Oz.
-

DISH WASHER
APPROVED BRANDS OR EQUAL/COMPARABLE

ITEM 25 A- Dishwasher, Pot/Pan/Utensil, Door Type
Hobart Model PW10N-ADV-2
Advansys™ Ventless Pot/Pan/Utensil Washer with Energy Recovery, front loading with split door design, 480V/60/3-ph, (10) pan capacity, over/under rotating arms, 2/4/6 minute adjustable timer, up to (13) racks/hour, includes: (1) flat grid, (1) tray rack & (1) flat bottom rack, pre-rinse spray hose, sanitizing with Sense-A-Temp™ 70° booster rise, internal condensing system, auto delime notification, stainless-steel construction, cULus, BISSC Certified, NSF, ENERGY STAR®, Free factory startup for installations within a 100-mile radius of a Hobart service office; installation beyond 100 miles will be charged at the quoted rate by the local Hobart service office.

- 1 ea. Oversized units with crated shipping dimensions greater or equal to 72" in length and/or 90" in height.
- 1 ea. Standard warranty – One year parts, labor, and travel time during normal working hours within the USA

- 1 ea. Spray Hose

ITEM 25 B – Dishwasher, Pot/Pan/Utensil, Door Type
Hobart Model PW20N-ADV-2
Advansys™ Ventless Pot/Pan/Utensil Washer with Energy Recovery, front loading with split door design, 480V/60/3, (20) pan capacity, over/under rotating arms, 2/4/6 minute adjustable timer, up to (13) racks/hour, includes: (2) flat grids, (2) tray racks & (1) flat bottom rack, pre-rinse spray hose, sanitizing with Sense-A-Temp™ 70° booster rise, internal condensing system, auto delime notification, stainless-steel construction, cULus, BISSC Certified, NSF, ENERGY STAR®, Free factory startup for installations within a 100-mile radius of a Hobart service office; installation beyond 100 miles will be charged at the quoted rate by the local Hobart service office.

- 1 ea. Oversized units with crated shipping dimensions greater or equal to 72" in length and/or 90" in height.
- 1 ea. Standard warranty - 1-Year parts, labor, and travel time during normal working hours within the USA
- 1 ea. Spray Hose

PIZZA OVEN SINGLE-ELECTRIC
APPROVED BRANDS OR EQUAL/COMPARABLE

ITEM 26 A – Conveyor Oven, Electric (Single Ventless) (1 req'd)
Ovention Model Conveyor C2000
Dimensions: 20.24(h) x 48.25(w) x 37.01(d)
C2000 Precision Impingement Conveyor Oven, **ventless,** rapid cook, countertop, 20" wide belt, 21" cook chamber, touch screen display, built-in self diagnostics, USB menu upload, smart voltage sensor technology, cool to touch 430 stainless steel exterior, 304 stainless steel interior, 4" adjustable legs, cULus, UL EPH, made in the USA.

- 1 ea. 1-year parts & labor warranty, standard.
- 1 ea. Model C2000-3S 208V/60/3-ph, 34.0 amps, 16.3kw, cULus, cord & MEMA 15-50P, standard
- 1 ea. Front mounted touchscreen control – standard.

ITEM 26 B – Same oven as 16 A -1 ea. Model C2000-3S 480V/60/3-ph, 34.0 amps, 16.3kw, cULus, cord & MEMA 15-50P, standard

ITEM 26 C – Conveyor Oven, Electric (Single Non Ventless) (1 req'd)
TurboChef (Middleby) Model HCT-9500-501
Dimensions: 17"(h) x 48.3"(w) x 35.7"(d)
HhC 2020™ Standard Conveyor Oven, Stainless Steel, Electric, 3PH, 208v, 40A, 50/60HZ, Single Belt, Conveyor Length 48", Cook Chamber 20"x20", One-Touch controls, independent Top and Bottom Air Impingements, Stackable, Variable Speed Blower Motors, idle mode, built-in self diagnostics, smart voltage sensor technology, cool to touch, Includes: (1) cleaner packet, (1) 32oz bottle, and (1) foamer trigger, (2) air filters, cULus, CE, UL EPH Classified, ANSI/NSF 4, TUV, **Non-Ventless**

- 1 ea. Model MDD-1001 1-year OK subscription, CW2 module (Wi-Fi), no SAP (NET price displays only in the quote)
- 1 ea. 1-year parts and labor warranty
- 1 ea. 208V/50/60/3-ph, 40.0amps, 6 foot cord (nominal), NEMA 15-50P, standard
- 1 ea. Model HCT-3004-1 Cart, Single, 35.8" (90.9 cm), with locking casters, for HhC 1618, 2020 & 2620

ITEM 26 D – Same oven as 26 C -1 ea. 240V/50/60/3-ph, 40.0 amps, 6 foot cord (nominal), NEMA 15-50P, standard

ITEM 26 E – Conveyor Oven, Electric (Single Ventless) (1 req'd)
TurboChef (Middleby) Model HCT-9500-501-V
Dimensions: 17"(h) x 48.3"(w) x 35.7"(d)
HhC 2020™ Standard Conveyor Oven, Stainless Steel, Electric, 3PH, 208v, 40A, 50/60HZ, Single Belt, Conveyor Length 48", Cook Chamber 20"x20", One-Touch controls, independent Top and Bottom Air Impingements, Stackable, Variable Speed Blower Motors, idle mode, built-in self diagnostics, smart voltage sensor technology, cool to touch, Includes: (1) cleaner packet, (1) 32oz bottle, and (1) foamer trigger, (2) air filters, cULus, CE, UL EPH Classified, ANSI/NSF 4, TUV, **Ventless**

- 1 ea. Model MDD-1001 1-year OK subscription, CW2 module (Wi-Fi), no SAP (NET price displays only in the quote)
- 1 ea. 1-year parts and labor warranty
- 1 ea. 208V/50/60/3-ph, 40.0amps, 6 foot cord (nominal), NEMA 15-50P, standard
- 1 ea. Model HCT-3004-1 Cart, Single, 35.8" (90.9 cm), with locking casters, for HhC 1618, 2020 & 2620

ITEM 26 F – Same oven as 26 E -1 ea. 240V/50/60/3-ph, 40.0 amps, 6 foot cord (nominal), NEMA 15-50P, standard

PIZZA OVEN DOUBLE-ELECTRIC
APPROVED BRANDS OR EQUAL/COMPARABLE

ITEM 27 A – Conveyor Oven, Electric (Double Ventless) (2 req'd)
Ovention Model Conveyor C2000
Dimensions: 20.24"(h) x 48.25"(w) x 37.01"(d)
C2000 Precision Impingement Conveyor Oven, ventless, rapid cook, countertop, 20" wide belt, 21" cook chamber, touch screen display, built-in self diagnostics, USB menu upload, smart voltage sensor technology, cool to touch 430 stainless steel exterior, 304 stainless steel interior, 4" adjustable legs, cULus, UL EPH, made in the USA.

- 2 ea. 1-year parts & labor warranty, standard.
- 2 ea. Model C2000-3S 208V/60/3-ph, 34.0 amps, 16.3kw, cULus, cord & MEMA 15-50P, standard
- 2 ea. Front mounted touchscreen control – standard.
- 1 pk. Model OV-CARE-C2000 Premium Care Package for CONVEYOR C2000, includes: (1) cleaning brush (OV-BRUSH), (2) air filters (OVNTN-FIL), (1) case of cleaner (OVNTN-CLNR-P1)
- 1 kt. Model OVNTN-STK-2 Stacking Kit for matching M1718 on S2000 & C2000.
- 1 ea. Model OV-STND-2436 Equipment Stand, 24"(h) x 36"(w) , no drip v-edge on front, 1" splash on sides & back, adjustable undershelf, stainless stell construction, casters.

ITEM 27 B Same oven as 27 A -2 ea Model C2000-3S 240V/60/3-ph, 34.0 amps, 16.3kw, cULus, cord & NEMA 15-50P, standard

ITEM 27 C – Conveyor Oven, Electric (Double Non-Ventless) (2 req'd)
TurboChef (Middleby) Model HCT-9500-501
Dimensions: 17"(h) x 48.3"(w) x 35.7"(d)
HhC 2020™ Standard Conveyor Oven, Stainless Steel, Electric, 3PH, 208v, 40A, 50/60HZ, Single Belt, Conveyor Length 48", Cook Chamber 20"x20", One-Touch controls, independent Top and Bottom Air Impingements, Stackable, Variable Speed Blower Motors, idle mode, built-in self diagnostics, smart voltage

sensor technology, cool to touch, Includes: (1) cleaner packet, (1) 32oz bottle, and (1) foamer trigger, (2) air filters, cULus, CE, UL EPH Classified, ANSI/NSF 4, TUV, **Non-Ventless**

- 1 ea. Model MDD-1001 1-year OK subscription, CW2 module (Wi-Fi), no SAP (Net price displays only in quote)
- 2 ea. 1-year parts and labor warranty.
- 2 ea. 208V/50/60/3-ph, 40.0 amps, 6 foot cord (nominal), NEMA 15-50P, standard.
- 1 ea. Model HCT-3004-2 Cart, Double/Triple, 23.5" (62.2 cm), with locking casters, for HhC 1618, 2020, & 2620.

ITEM 27 D Same oven as 27 C – 2 ea. 240V/50/60/3-ph, 40.0 amps, 6 foot cord (nominal), NEMA 15-50P, standard.

ITEM 27 E Conveyor Oven, Electric (Double Ventless) (2 req'd)
TurboChef (Middleby) Model HCT-9500-501-V
Dimensions: 17"(h) x 48.3"(w) x 35.7"(d)
HhC 2020™ Standard Conveyor Oven, Stainless Steel, Electric, 3-ph, 208V, 40A, 50/60HZ, Single Belt, Conveyor Length 48", Cook Chamber 20"x20", One-Touch controls, independent Top and Bottom Air Impingements, Stackable, Variable Speed Blower Motors, idle mode, built-in self diagnostics, smart voltage sensor technology, cool to touch, Includes: (1) cleaner packet, (1) 32oz bottle, and (1) foamer trigger, (2) air filters, cULus, CE, UL EPH Classified, ANSI/NSF 4, TUV, **Ventless** –

- 1 ea. Model MDD-1001 1-year OK subscription, CW2 module (Wi-Fi), no SAP (Net price displays only in quote)
- 2 ea. 1-year parts and labor warranty.
- 2 ea. 208V/50/60/3-ph, 40.0 amps, 6 foot cord (nominal), NEMA 15-50P, standard.
- 1 ea. Model HCT-3004-2 Cart, Double/Triple, 23.5" (62.2 cm), with locking casters, for HhC 1618, 2020, 2620.

ITEM 27 F Same oven as 27 E – 2 ea. 240V/50/60/3-ph, 40.0 amps, 6 foot cord (nominal), NEMA 15-50P, standard.

CUTTER/MIXER
APPROVED BRANDS OR EQUAL/COMPARABLE

ITEM 28 – VCM – Vertical Cutter/Mixer
Hobart Model No. HCM45066
Cutter/Mixer, includes Cut-Mix attachment, Strainer Basket, does not include casters.

- 1 ea. 208V/60/3-ph